tured. Loy, Frank, Product Manager, Marconi Instruments, Automation Division, Dorset, England. PCF, July 1990, pg. 75.

The Analytical Technique. Joining the ranks of comparison and design rule systems, this method represents a third approach to AOI. Lloyd, Roy, Managing Director, Lloyd Doyle Ltd., Surrey, England. PCF, July 1990, pg. 83.

CAM Systems. Several fabricators with CAM systems are now working on writing a tailored script program to address all their tooling variables. Stoll, Jeff, Applications Engineer, The Technology Congress Ltd., Minneapolis, Minn. PCF, July 1990, pg. 93.

New Technology for Imaging Circuits on Multilayer Boards. CAD and laser photoplotting have revolutionized the front-end of imaging. Development now centers on improving image transfer. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 32.

MCM Thermal Challenges. The escalating chip complexity of MCMs offers greater thermal considerations. Buschbom, Milton, Texas Instruments, Dallas, Texas. SMT, August 1990, pg. 30.

Bringing Design into the PCB Shop. Thinking about adding a design service? This Swiss PCB fabricator reveals why you should. Uhlmann, Ernst, Chairman of the Board, Fela Holding, AG Thundorf, Switzerland. PCF, August 1990, pg. 75.

Language Barriers. Is Gerber a suitable data exchange format for PCB manufacturing? Deprez, Geert, R&D Manager, Electronic Tooling Systems Div., Barco Graphics, Ghent, Belgium. PCF, August 1990, pg. 88.

PCF Postcard Poll: CAD/CAM. To what degree is the PCB industry using computer-aided technology? PCF, September 1990, pg. 137.

Thermal Analysis Using Computational Fluid Dynamics. The trends in electronics systems design make extracting heat and controlling temperatures increasingly difficult. Reynell, Dr. Michael, Flomerics Ltd., Kingston upon Thames, Surrey, England. EP&P, October 1990, pg. 82.

Improving PCB Design and Manufacturing Through Integration. Integration is the "glue" of the modern electronics production environment. Hammer, Paul, Engineering Manager; Carpenter, Jon, Manufacturing Engineer, Tektronix, Inc., Beaverton, Ore. CM, October 1990, pg. 27.

Enterprise Integration: A Tool for Achieving World-Class Electronics Manufacturing. Enterprise Integration creates an efficient flow of information and knowledge within an organization to achieve total customer satisfaction. Zukoski, John Anthony, Factory Automation Engineer, Motorola, Inc., Scottsdale, Ariz. CM, October 1990, pg. 36.

Concurrent Design Permits Early Thermal Analysis. Performing thermal and reliability analyses from the conceptual design phase to manufacturing can save time and cost. Tokola, Miki; and Wolff, Dan, Mentor Graphics Corp., Beaverton, Ore. EP&P, November 1990, pg. 66.

Connectors, Sockets, Backplanes

Elastomeric Connectors Best for LCDs. An elastomeric connector connecting LCDs offers reliable contact and easier assembly. Markstein, Howard W., Western Editor, Electronic Packaging & Production. EP&P, February 1990, pg. 51.

Elastomeric Connectors Offer Another Option. Elastomeric connectors offer the ability to mate closely spaced pads and conduct signals with minimum distortion at frequencies in the gigahertz range. Siebert, John, Elastomeric Technologies, Inc., Hatboro, Pa. EP&P, March 1990, pg. 23.

Standard Connectors Changing with Application Needs. Certain sockets and edge card connectors continue to change at a fast pace. Schelmetic, Ron, Burndy Corp, Norwalk, Conn. EP&P, March 1990 Supplement, pg. 14.

Fiber Optic, Coaxial and IC Sockets: Selecting Specialized Connectors. Special connectors offer special advantages, such as greater frequency ranges and compatibility with the manufacturing process. Rix, Rob, AMP Inc, Harrisburg, Pa. EP&P, March 1990 Supplement, pg. 20.

Selecting Surface Mount Connectors. The push for connectors compatible with surface mount assembly processes has resulted in a variety of surface mount connectors and a better understanding of processing requirements. Landman, Dirk, Du Pont Electronics, Camp Hill, Pa. EP&P, March 1990 Supplement, pg. 26.

Interconnection Assemblies Now Designed as Complete Subsystems. Performance demands require earlier consideration in the design cycle. Hansell, George; Kauffman, Roger; VanDeusen, Herb; Kauffman, Steve; and Cedrone, Alfredo, W.L. Gore & Associates, Inc., Newark, Del. EP&P, March 1990 Supplement, pg. 32.

Joining Connectors to the Wiring System. Soldering, wire wrapping and insulation displacement are just three of the many methods used to 'marry' connectors to a wiring system. Stone, Randy, Molex Inc., Lisle, Ill. EP&P, March 1990 Supplement, pg. 40.

Future Trends in Connectors. Technology is moving to faster, smaller, more process compatible connectors. Crane, Jr., Stanford W., Crane Electronics, Cincinnati, Ohio. EP&P, March 1990 Supplement, pg. 47.

Connector and Interconnection Suppliers. Listing of suppliers and services. EP&P, March 1990 Supplement, pg. 48.

How to Select Connectors. Determining connector applications is the first step in the selection process. Wedekind, Al; Bried, Bob; and Westerman, Byron, 3M Austin Center, Austin, Texas. EP&P, March 1990 Supplement, pg. 8.

Surface Mount Connectors. An overview of surface mount connectors is presented. Miller, Dan, Managing Editor, Surface Mount Technology. SMT, March 1990, pg. 29.

Connector Design Reduces Crosstalk. A connector designed to accommodate high speed signals limits crosstalk. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 41.

Interface Module Simplifies Signal Conditioning. Cable termination, signal conditioning and connector interfacing are being accomplished within a single module mounted on a DIN rail. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 41.

Gold Bumps Form a High Density Connector. Interconnection system is based on pressure contact between gold bumps and gold plated pads. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 45.

Power Distribution Using Bus Bars. Bus bars offer efficient power distribution with desirable electrical and mechanical characteristics. Markstein, Howard W., Western Editor, Electronic Packaging

& Production, EP&P, June 1990, pg. 64.

What to Look for in SMT Connectors. Connectors designed for surface mount must meet special requirements in lead geometry, materials and mechanical support. Off-the-shelf choices of SMT connectors are limited. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 38.

Connectors: Choosing the Right Contact Materials. The properties and characteristics of various contact materials must be understood for optimum connector design. Mroczkowski, Robert, AMP Inc., Harrisburg, Pa. EP&P, September 1990, pg. 52.

High Density Interconnect Designed for LCDs. Heat seal connectors provide an efficient connection between flexible circuitry and a liquid crystal display. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 47.

Serpentine Copper Mesh Forms Heat Sinks. High-density brazed copper mesh is adapted to form heat sinks for electronic components. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 47.

TAB Device Mounts Directly to LCD Glass Substrate. Technique to place the drive and character generation circuitry for an LCD directly onto the LCD's glass substrate. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 47.

Short Interconnects for Circuit Boards. Button contacts are randomly wadded cylinders of wire that protrude slightly above the surface of the supporting dielectric substrate. In sandwich construction, they make contact with pads on opposing sides. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 39.

New Materials Spur DFM. The development of new materials has aided the manufacturability of electronic products. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 41.

Wire, Cable, Assemblies, Equipment

Techniques of Automatic Wire and Cable Termination. Integrating advances in machine design, electronic controls, pneumatics and computerization, wire processing systems automatically measure, cut, strip and terminate conductors at both ends. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 64.

Fiber Optic, Coaxial and IC Sockets: Selecting Specialized Connectors. Special connectors offer special advantages, such as greater frequency ranges and compatibility with the manufacturing process. Rix, Rob, AMP Inc, Harrisburg, Pa. EP&P, March 1990 Supplement, pg. 20.

Interconnection Assemblies Now Designed as Complete Subsystems. Performance demands require earlier consideration in the design cycle. Hansell, George; Kauffman, Roger; VanDeusen, Herb; Kauffman, Steve; and Cedrone, Alfredo, W.L. Gore & Associates, Inc., Newark, Del. EP&P, March 1990 Supplement, pg. 32.

Joining Connectors to the Wiring System. Soldering, wire wrapping and insulation displacement are just three of the many methods used to 'marry' connectors to a wiring system. Stone, Randy, Molex Inc., Lisle, Ill. EP&P, March 1990 Supplement, pg. 40.

Connector and Interconnection Suppliers. Listing of suppliers and services. EP&P, March 1990 Supplement, pg. 48.

Rigid-Flex and Flexible Circuitry: A Subsystem Packaging Technique. For optimum results, these interconnections must be viewed as subsystems in the overall packaging scheme. Griffith, Russ, Director of Engineering, Dynaco-East, Derry, New Hampshire, PCF, March 1990, pg. 28.

Interface Module Simplifies Signal Conditioning. Cable termination, signal conditioning and connector interfacing are being accomplished within a single module mounted on a DIN rail. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 41.

Flexible EMI Shielding. Wrapping an assembly within a conductive cloth helps wire harnesses achieve EMI shielding. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Wire Harnesses: A Low Tech Solution to High Tech Connections. Made by labor intensive techniques, wire harnesses offer interconnect flexibility unmatched by competitive systems. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 40.

Multiwire Today. This technology is entering the 1990s with a multitude of diverse applications. Kunkie, Robert E., president, I-Con Industries, Inc., Euless, Texas. PCF, September 1990, pg. 94.

Active/Passive Circuit Components, Packages

Multilayer Hybrid Circuits Provide Versatility, Cost Savings. Multilayer hybrids provide alternatives and advantages of multilayer PCBs. Sergent, Jerry E., RF Hybrids, Bellingham, Wash. EP&P, January 1990, pg. 64.

An Overview of Surface Mount Device Package Cracking. Proper storage and handling of SMDs can minimize the risk of device package cracking. McKenna, Robert, Texas Instruments, Inc., Stafford, Texas. SMT, January 1990, pg. 30.

Dimensional Stability of Engineering Thermoplastic Materials Used in Surface Mount Devices. The movement toward small, powerful, densely packed systems requires reduced lead pitches. Haley, Robert C.; McChesney, Charles E..; and Kunicky, Jessalyn, Hoechst Celanese Corp., Chatham, N.J.; Bucknell University, Lewisburg, Pa. SMT, January 1990, pg. 43.

Wafer Fabrication and Design for Tape Automated Bonding. The success or failure of TAB depends more on the bump interface than any other parameter in the process. Walker, Jim, EM 2, Inc., Fremont, Calif. SMT, January 1990, pg. 45.

Surface Mount Transformers and Inductors. Smaller surface mount components are aiding in more complex board designs. Carey, Richard P.; Gayton, Edward E., Foxboro/PCG, East Bridgewater, Mass. SMT, January 1990, pg. 55.

Assembling Fine Pitch Devices on Fine Line PCBs Poses New Challenges. When placing fine pitch components on fine line PCBs, the choice of components, the geometry of land patterns and processing options all must be considered at the physical design stage. Solberg, Vern, SCI Manufacturing, San Jose, Calif. EP&P, February 1990, pg. 125.

Elastomeric Connectors Best for LCDs. An elastomeric connector connecting LCDs offers reliable contact and easier assembly. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 51.

Optical Data Link Packaged for SEMs. A high speed optical data link, designed for minimum size, meets SEM requirements. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 51.

Sheet Adhesives Help Mount Components and PCBs. Preformed sheet adhesives can facilitate the mounting of flatpacks, SOICs, hybrids, and other components. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 52.

Innovative Electronic Packaging for Artillery Fuzes. Research data for artillery shell fuse designs is provided. Caswell, Gregory K., Galaxy Microsystems, Inc., Austin, Texas. SMT, February 1990, pg. 53.

Packaging with TAB and Silicon Substrates. TI has been using TAB in various mounting configurations together with advanced substrate technology using silicon. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 54.

Tape Automated Bonding: The Answer to VLSI Packaging Problems. Some of TAB's Characteristics have clear advantages over wire bonding for high density packages. Kelly, Mike A., 3M Co., Austin, Texas. EP&P, February 1990, pg. 90.

New Encapsulants and COB Help Package the Wizard. Encapsulants provide stress-free protection for chip-on-board VLSI and EPROMS. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, March 1990, pg. 42.

Packaging a Heart Pacemaker. The most familiar of all electronic biomedical devices—the heart pacemaker—requires packaging efforts devoted to small size and the highest reliability. Markstein, Howard W., Western Editor, Electronic Package & Production, EP&P, March 1990, pg. 48.

Clamp Design Allows Hybrid Replacement. Special clamp design permits fast replacement of a hybrid circuit in a high speed signal transmission application. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 43.

Heat Spreader Improves PGA Thermal Dissipation. A pin grid array incorporates a heat spreader to conpensate for the low thermal conductivity of FR-4 epoxy/glass or polyimide/glass. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 43.

Silicone Outgassing Avoided. Silicone rubber is one of the more prominent materials known to outgas at reduced atmospheric pressure. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 43.

GPS Receiver Miniaturized. A global positioning system has been developed using a chipset that combines high density interconnections, SMT, and special antenna design. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 44.

Case History: From Spec to Beta Site in Three Months -Mercury Computer Systems Shaves Time-to-Market of High-Density Boards. Dozier, Paul; Yacovitch, Bill, Mercury Computer Systems, Inc., Lowell, Mass. SMT, April 1990, pg. 22.

Hermeticity Improves Package Reliability. High reliability circuits demand the most of electronic packages. Good hermeticity is one factor contributing to circuit reliability. Dickinson, Darrell; Moore, Dale, Scientific Sealing Technology, Downey, Calif. EP&P, April 1990, pg. 61.

SMT Applications: Additive Polymer Technology Can Eliminate the Need to Solder. An additive polymer circuit technology cuts manufacturing costs by staff PCBs and soldered components with flexible film circuits and bonded components. Poly-Flex Circuits, Inc., Cranston, R.I. SMT, April 1990, pg. 51.

Connector Design Reduces Crosstalk. A connector designed to accommodate high speed signals limits crosstalk. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 41.

Interface Module Simplifies Signal Conditioning. Cable termination, signal conditioning and connector interfacing are being accomplished within a single module mounted on a DIN rail. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 41.

Multiple-Point Latch Seals Enclosures. Enclosures that must be sealed against atmospheric contamination can be compression sealed by a multiple-point latching system. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 41.

Users Solve 3-D Packaging Problems. Several OEMs tell how they applied molded boards and bendable substrates to three-dimensional packaging problems. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 56.

Fine Chips: The Ultraminiature Surface Mount Solution. Flip chip ICs improve reliability and reduce manufacturing cost. Gibson, Barbara, Cherry Semiconductor Corp., East Greenwich, R.I. SMT, May 1990, pg. 23.

Gearing Up for Fine Pitch Surface Mount Packages. Fine pitch surface mount packages aid end-users in competitiveness. Vest, Roger; Moore, Rich, Texas Instruments, Austin and Sherman, Texas. SMT, May 1990, pg. 31.

Gold Bumps Form a High Density Connector. Interconnection system is based on pressure contact between gold bumps and gold plated pads. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 45.

Multichip Modules Extend Packaging Density. Multichip module designs exemplify size reductions and shorter interconnect lengths. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 45.

TAB Tape Has Integral Ground Plane. TAB design using GaAs chips features both a signal layer and a ground plane. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 45.

Automotive Package Size Driven by Market Demand. Automotive electronics producers are concerned with space conservation, manufacturability, and quality. These challenges are addressed by companies providing component design, packaging, manufacturing and testing services. Mellinger, Edward M.; Yuska, Paul, Automotive Div; Electronics Div., The Cherry Corp., Waukegan, Ill. EP&P, June 1990, pg. 56.

Monitoring ESD in the Production Workplace. Prevention and monitoring of electrostatic charges in the work area helps assure a hazard-free environment for sensitive electronic components. Bhar, Tarak Nath, University of the District of Columbia, Washington, D.C., EP&P, June 1990, pg. 74.

Keys to the Coming TAB Technology Wave: Testability and Reliability. TAB offers performance and testing advantages. Scott, Richard B., 3M Microinterconnect Systems, Austin, Texas. SMT, June 1990, pg. 15.

TAB: Finally a Bride? Long a bridesmaid to wire bonding, TAB is winning proposals of its own. Brinton, James B., Contributing Editor, Circuits Manufacturing. CM, June 1990, pg. 30.

PCBs for Fine Pitch TAB Attachment. TAB materials and processes can be more cost-effective than through-hole or surface mount. Kalliat, M.P.; Harris, J.E.; Vessels, J.L., AT&T Microelectronics, Richmond, Va. SMT, June 1990, pg. 41.

Key Issues in Surface Mount Assembly. There is likely an optimum mix of components for any SMT design that allows production to achieve the best throughput and quality. Unfortunately, part costs and availabilities are subject to change, and SMT design and manufacturing must respond with careful compromises. Kuhn, Kurt, Altron, Inc., Anoka, Minn. SMT, July 1990, pg. 13.

TAB Implementation: A Military User's Perspective. Using TAB for military applications is discussed. DiFrancesco, Larry, Hughes Aircraft Co., Fullerton, Calif. SMT, July 1990, pg. 52.

Extra Support for Heavy Components. A stainless steel tie can help support bulky components. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Flexible EMI Shielding. Wrapping an assembly within a conductive cloth helps wire harnesses achieve EMI shielding. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Heat Pipes Cool Surface Mount Boards. Heat pipe cold plates offer an efficient means of removing heat from PCBs. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Resin Shrinkage Maintains Electrical Contact. A method for attaching LEDs to glass substrates is performed by shrinkage of the cured resin. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Ceramic Packages Strive to Meet Materials Requirements of the 1990s. New ceramic materials and processing techniques hope to drive high performance computers in the new decade. Collins, James F.; Flock, Dr. William M., Coors Ceramics, Golden, Colo. EP&P, August 1990, pg. 48.

Packaging Programmable Logic Controllers. Today's PLCs are packaged for maximum functional capability in the allotted volume, as well as for protection from the factory floor environment. Markstein, Howard M., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 54.

Multichip Modules: An Overview of Design, Materials, and Processes. MCMs offer higher I/O accommodation and greater signal processing speeds. Rossi, Robert D., National Starch and Chemical Co., Bridgewater, N.J. SMT, August 1990, pg. 17.

MCM Thermal Challenges. Escalating chip complexity of MCMs offers greater thermal considerations. Buschbom, Milton, Texas Instruments, Dallas, Texas. SMT, August 1990, pg. 30.

Fine Pitch Devices From Japan. Report covering new package types and the need for high-grade substrates. Solberg, Vern, SCI Manufacturing, San Jose, Calif. CM, August 1990, pg. 36.

Cost Savings Through the Use of Dummy Components. Dummy components are used for their mechanical properties, not electrical usefulness. Hart, Martin, Topline Components, Garden Grove, Calif. SMT, August 1990, pg. 37.

Multichip Module Forum. Industry representatives discuss MCMs. Swichtenberg, Bill, Assistant Editor, Surface Mount Technology, SMT, August 1990, pg. 21.

TAB Excels in Fine-Pitch Applications. The interconnection needs of the high-end device market for ECL, ASICs and gate arrays is being satisfied by tape automated bonding. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, September 1990, pg. 32.

Laser Ultrasonic Tape Automated Bonding. Laser ultrasonic tape automated bonding is gaining acceptance in the SMT field. Hammond, Roy, Hughes Aircraft, Carlsbad, Calif. SMT, September 1990, pg. 25.

Multichip Module Forum (Part II). Industry representatives discuss MCMs. Swichtenberg, Bill, Assistant Editor, Surface Mount Technology, SMT, September 1990, pg. 44.

SMT Applications: Higher Power Levels in Surface Mount Designs. Higher power surface mount components are making it possible for more powerful 'total' surface mount boards. Hollander, Dave, Motorola Semiconductor Sector, Phoenix, Ariz. SMT, September 1990, pg. 55.

High Density Interconnect Designed for LCDs. Heat seal connectors provide an efficient connection between flexible circuitry and a liquid crystal display. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 47.

Serpentine Copper Mesh Forms Heat Sinks. High-density brazed copper mesh is adapted to form heat sinks for electronic components. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 47.

TAB Device Mounts Directly to LCD Glass Substrate. Technique to place the drive and character generation circuitry for an LCD directly onto the LCD's glass substrate. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 47.

Electronic Packaging Issues in the 1990s. Industry needs of this decade require attention to electronic packaging standards. Wolfe, Gene, Semiconductor Group, Texas Instruments, Dallas, Texas. EP&P, October 1990, pg. 76.

SMT Reliability for Space Flight Applications. SMT designs in spacecraft are faced with unique challenges. Obtaining benefits depends on specific tests which validate designs for the risks ahead. Evans, John W.; Chemkoff, Harry; Engelmaier, Werner, Unisys, Greenbelt, Md.; Vail Research & Tech, Greenbelt, Md.; Engelmaier Associates Inc., Mendham, N.J., SMT, November 1990, pg. 24.

Distributed Power Systems Via ASICs Using SMT. Combining power ASIC silicon with thermal management technology and SMT processes, distributed power is cost-efficient. Smith, Craig D.; Cassani, John, Power Products Group, IBM, Corp. Endicott N.Y. and Lexington, Ky. SMT, October 1990, pg. 29.

LEDs and COB Form High Intensity Backlighting. Backlighting for LCD panels, etc., can be implemented by an array of light emitting diodes and a special overlay. Markstein, Howard W.,

Western Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 39.

Reliable Package for Multichip Modules. Because conventional materials were not suitable because of their incompatibility with silicon, a new package was developed for multichip module with a large silicon substrate. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 39.

Multichip Modules: An Overview. Review of the factors driving system designers to MCMs and the choices available for building an MCM. Geschwind, Gary; and Clary, Robert M., Rose Associates, Los Altos, Calif. PCF, November 1990, pg. 28.

Short Interconnects for Circuit Boards. Button contacts are randomly wadded cylinders of wire that protrude slightly above the surface of the supporting dielectric substrate. In sandwich construction, they make contact with pads on opposing sides. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 39.

New Materials Spur DFM. The development of new materials has aided the manufacturability of electronic products. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 41.

Multichip Modules for Today's VLSI Circuits. Thin film, multilayer interconnect technology achieves both high density and high speed. Maravec, Thomas J.; Jensen, Ronald J.; Coogan, Sharon A.; and Jack W. Stuebs, Honeywell Solid State Electronics Center, Plymouth, Minn., Strategic Systems Operations, Clearwater, Fla. EP&P, November 1990, pg. 48.

The Effects of MCMs on the PWB Market. How PCBs of the future will reflect this new technology and when? Messner, George, Senior Scientist, PCK Technology Division, Melville, N.Y. PCF, November 1990, pg. 40.

A Manufacturing Process for Tape Automated Bonding Pads. AT&T developed a selective solder coating process to meet customer demands for high-density, fine-pitch devices. Harris, J.E., Developmental Engineer; Kalliat, M.P., Technical Staff Member, AT&T Microelectronics Div., Richmond, Va. PCF, November 1990, pg. 48.

Process Control Success: Gold Bump Plating for TAB. An optimization project returns control to a defect-plagued operation and points the way to further refinements. Trau, James; Wright, Judy; and Williams, Jeannie, Hewlett-Packard, Corvallis, Ore. SMT, November 1990, pg. 50.

A Study of PCB/LCC Thermal Compatibility. A series of controlled experiments leads to a better understanding of the criteria for processing the best possible solder joints for each of five substrates. Caswell, Gregory K., Galaxy Microsystems, Inc. SMT, November 1990, pg. 54.

Cabinets, Enclosures, Hardware

Forced Air Keeps Electronics Cool. Fans and Blowers using brushless motors offer efficient cooling together with variable speed control. Burke, Timothy S., Eastern Air Devices, Dover, N.H. EP&P, February 1990, pg. 181.

Extra Support for Heavy Components. A stainless steel tie can help support bulky components. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Packaging Programmable Logic Controllers. Today's PLCs are packaged for maximum functional capability in the allotted volume, as well as for protection from the factory floor environment. Markstein, Howard M., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 54.

Thermal Analysis Using Computational Fluid Dynamics. The trends in electronics systems design make extracting heat and controlling temperatures increasingly difficult. Reynell, Dr. Michael, Flomerics Ltd., Kingston upon Thames, Surrey, England, EP&P, October 1990, pg. 82.

Chemicals and Materials

Dimensional Stability of Engineering Thermoplastic Materials Used in Surface Mount Devices. The movement toward small, powerful, densely packed systems requires reduced lead pitches. Haley, Robert C.; McChesney, Charles E.,; and Kunicky, Jessalyn, Hoechst Celanese Corp., Chatham, N.J.; Bucknell University, Lewisburg, Pa. SMT, January 1990, pg. 43.

Multilayer Hybrid Circuits Provide Versatility, Cost Savings. Multilayer hybrids provide alternatives and advantages of multilayer PCBs. Sergent, Jerry E., RF Hybrids, Bellingham, Wash. EP&P, January 1990, pg. 64.

Wafer Fabrication and Design for Tape Automated Bonding. The success or failure of TAB depends more on the bump interface than any other parameter in the process. Walker, Jim, EM 2, Inc., Fremont, Calif. SMT, January 1990, pg. 45.

Sheet Adhesives Help Mount Components and PCBs. Preformed sheet adhesives can facilitate the mounting of flatpacks, SOICs, hybrids, and other components. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 52.

Tape Automated Bonding: The Answer to VLSI Packaging Problems. Some of TAB's Characteristics have clear advantages over wire bonding for high density packages. Kelly, Mike A., 3M Co., Austin, Texas. EP&P, February 1990, pg. 90.

Ionic Contamination: Plague of the Electronics Industry. Problems, sources, usual routes of contamination; and strategies & techniques for prevention of IC and its concomitant problems. Owei, Ph.D., Abayomi I., Senior Chemist & Industrial Hygienist, Androx, Inc., LaMirado, Calif. PCF, February 1990, pg. 155.

How Reliable is the BTA Alternative? A rapid way to check the quality of a benzotriazole film. Casullo, F.J.; and Galasco, S.A., IBM, Endicott, N.Y. CM, February 1990, pg. 72.

New Encapsulants and COB Help Package the Wizard. Encapsulants provide stress-free protection for chip-on-board VLSI and EPROMS. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, March 1990, pg. 42.

Rapid Determination of Ionic Contaminants by Two-Dimensional, High-Performance Liquid Chromatography. A chromatographic system has proven to separate and detect weak and strong anions. Dunn, Michael H., Northern Telecom, Inc., Nashville, Tenn. SMT, March 1990, pg. 40.

Heat Spreader Improves PGA Thermal Dissipation. A pin grid array incorporates a heat spreader to compensate for the low thermal conductivity of FR-4 epoxy/glass or polyimide/glass. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 43.

Silicone Outgassing Avoided. Silicone rubber is one of the more prominent materials known to outgas at reduced atmospheric pressure. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 43.

The ESD Control Process is a Tool for Managing Quality. ESD Control Programs follow the Total Quality Management philosophy. Brown, Lonnie; Burns, Dan, Smith Brown & Associates, Glendale, Calif. EP&P, April 1990, pg. 50.

Minimizing Ionic Contamination from Epoxy Surface Mount Adhesives. Dicussion of the sources of contamination, test methods for detecting contaminants and corrective steps to minimize possible contamination. Murratti, Jim; Kropp, Phil, Loctite Corp., Newington, Conn. SMT, April 1990, pg. 15.

The Effect of Temperature of Surface Mount Adhesive Application, Equipment and Performance. The temperature of an adhesive affects its performance. DeBarros, Tony, Emerson & Cuming, Inc. (a Grace Co.) Woburn, Mass. SMT, April 1990, pg. 27.

SMT Applications: Additive Polymer Technology Can Eliminate the Need to Solder. An additive polymer circuit technology cuts manufacturing costs by staff PCBs and soldered components with flexible film circuits and bonded components. Poly-Flex Circuits, Inc., Cranston, R.I. SMT, April 1990, pg. 51.

Seeking The Most Cost-Effective Interconnect Solution for Electronic Equipment. Some of the many possibilities open to electronics designers and how these opportunities can improve economics and performance of electronic equipment. Weinhold, Michael, Product Application Manager. Du Pont Company, PCF, April 1990, pg. 90.

Users Solve 3-D Packaging Problems. Several OEMs tell how they applied molded boards and bendable substrates to three-dimensional packaging problems. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 56.

Special Materials Help Manufacturers Tackle ESD. A variety of materials can help control electrostatic discharge. These guidelines help to select what's available. Watson, Don; Kolyer, Dr. John, Rockwell International, Autonetics Div., Anaheim, Calif. EP&P, May 1990, pg. 72.

TAB Tape Has Integral Ground Plane. TAB design using GaAs chips features both a signal layer and a ground plane. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 45.

Power Distribution Using Bus Bars. Bus bars offer efficient power distribution with desirable electrical and mechanical characteristics. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 64.

What to Look for in SMT Connectors. Connectors designed for surface mount must meet special requirements in lead geometry, materials and mechanical support. Off-the-shelf choices of SMT connectors are limited. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 38.

Low Temperature Co-Fired Multilayers Will Thrive in Multichip Modules. For demanding applications, low temperature co-firing compares favorably with established interconnect technologies, even thin film. Lischner, David; Morabito, Joe; and Capers, Rusty, AT&T, Allentown Pa.; Du Pont Electronics, Wilmington, Del., EP&P, July 1990, pg. 48.

Resin Shrinkage Maintains Electrical Contact. A method for attaching LEDs to glass substrates is performed by shrinkage of the cured resin. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 37.

Ceramic Packages Strive to Meet Materials Requirements of the 1990s. New ceramic materials and processing techniques hope to drive high performance computers in the new decade. Collins, James F.; Flock, Dr. William M., Coors Ceramics, Golden, Colo. EP&P, August 1990, pg. 48.

Multichip Modules: An Overview of Design, Materials, and Processes. MCMs offer higher I/O accommodation and greater signal processing speeds. Rossi, Robert D., National Starch and Chemical Co., Bridgewater, N.J. SMT, August 1990, pg. 17.

Circuit Board Technolgoies for the '90s from a Materials Perspective. Resin alternatives for SMT and their impact on mechanical and electrical properties are discussed. Garrou, Phil; Aldrich, Dale, Dow Chemical Co., Midland, Mich. SMT, August 1990, pg. 43.

Trends in Electronic Substrate Technology. PC board substrates are becoming increasingly important components in electronic equipment. Analysis of laminate properties reveals paths toward their commercial acceptance and use. Senese, Tony, Nelco Products, Inc., Fullerton, Calif. EP&P, September 1990, pg. 40.

Connectors: Choosing the Right Contact Materials. The properties and characteristics of various contact materials must be understood for optimum connector design. Mroczkowski, Robert, AMP Inc., Harrisburg, Pa. EP&P, September 1990, pg. 52.

High-Performance Resins. New multi-functional epoxy, new polyimide, laminating resin systems for PCBs. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, September 1990, pg. 36.

IR Convection Cure of Solventless Silicon Conformal Coatings. A new curing process makes the use of silicone conformal coatings easier. Gensler, G.; Piazza J.; DiNallo, A.J., GE Silicones, Waterford, N.Y. SMT, September 1990, pg. 39.

The Next Wave of SMT adhesives. New materials will satisfy the future demands of SMT. Batson, Robert, Dexus Research Inc., Newington, Conn. CM, September 1990, pg. 49.

Conformal Coatings for Commercial PCBs. Having proven their value to the military, conformal coatings are being used increasingly in commercial applications. Cavero, Jose; Adell, Jose, Madrid University and Telefonica I+D, Madrid, Spain, CM, September 1990, pg. 84.

Additive and Surface Mount: Complementary Technologies. A viable alternative to conventional subtractive processes is examined. Landolt, Roger H., E.I. Du Pont de Nemours & Co., Inc., Wilmington, Del. SMT, October 1990, pg. 25.

Material Planning Issues in Surface Mount Manufacturing. Material planning demands flexibility and quick reaction times. Thompson, Michael C., MGV Manufacturing, Inc. Madison, Ala. SMT, October 1990, pg. 40.

Electroless Copper Technology in Transition. Electroless technology has steadily improved for a decade, addressing environmental concerns and the advent of new high-temp resins, and increasing in stability and efficiency. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 70.

New Materials Spur DFM. The development of new materials has aided the manufacturability of electronic products. Spitz, S.

Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 41.

Multichip Modules for Today's VLSI Circuits. Thin film, multilayer interconnect technology achieves both high density and high speed. Maravec, Thomas J.; Jensen, Ronald J.; Coogan, Sharon A.; and Stuebs, Jack W., Honeywell Solid State Electronics Center, Plymouth, Minn., Strategic Systems Operations, Clearwater, Fla. EP&P, November 1990, pg. 48.

Reflow Soldering with Reactive Gasses. Soldering in a controlled atmosphere produces the least amount of residues, and thus the cleanest boards. Nayer, H.S.; and Adams, S.M., Airco Gases, a member of the BOC Group, Murray Hill, N.J. EP&P, November 1990 supplement, pg. 39.

Photoimaging Equipment, Supplies

The Dynamics of Change. The author provides new insights into the behavior of photographic film in changing environments. Irving, Shannon, Wisconsin Technical Advantage, Milwaukee, Wisc. PCF, January 1990, pg. 60.

CAD Data Conversion and Electron Beam Deflection Control. An electron beam direct imaging system has been developed to meet the technological trend of finer circuitry. Tobuse, Hiroaki; Hosinouchi, Susumu; Murakami, Hidenobu, Manufacturing Development Laboratory of Mitsubishi Electric Corp., Hyogo, Japan, PC Fab, January 1990, pg. 74.

Photoplotter, Workstation Increase Throughput of Through-Hole and Multilayer Boards. Laser photoplotter aids board manufacturer with different jobs and batch sizes. Hodson, Tim, Electronic Packaging & Production, EP&P, February 1990, pg. 142.

DuPont Diazo Film Meets Fabricators Tough Demands. Diazo film resist size change and tooling hole wear. Hodson, Tim, Electronic Packaging & Production, EP&P, March 1990, pg. 87.

Statistical Process Control for Phototools? Yes!, The delicate balance of phototool quality requires strict control of process variables. Bartell, Peter, Statistician, Eastman Kodak Co., Rochester, N.Y. PCF, April 1990, pg. 39.

Surface Preparation Requirements for Fine-Line Processing. The secret of successful photoresist adhesion is what lies underneath it, but there's a difference between liquid and dry-film requirements. Artake, I; Papalski, M.H.; Siddiqui, S.; Pontoni, K.D.; Moore, A.L. AT&T Bell Laboratories, Princeton, N.J., AT&T Microelectronics, Richmond, Va. PCF, April 1990, pg. 53.

Fine-Line Processing: The '90s Are Here. Have we pushed this technology to the limit? Gurian, Marshall I. Advanced Systems, Inc., Phoenix, Ariz. PCF, May 1990, pg. 64.

Image Transfer Technology Moves Forward Slowly. Imaging technology changes have been evolutionary. Principal issues now revolve around fine line implementation and direct imaging. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 50.

CAD Photoplotting Considerations for Surface Mount Designs. Common problems occur when plotting artwork and manufacturing PCBs. Klages, Scott, Orbot, Inc., Santa Ana, Calif. SMT, July 1990, pg. 29.

New Technology for Imaging Circuits on Multilayer Boards. CAD and laser photoplotting have revolutionized the front-end of imaging. Development now centers on improving image transfer. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 32.

Survey of Fine-Line Yields. Industry data on the imaging department is presented. McCue, Daniel J., Executive Vice President, Positec Photosystems, Inc., Woodbury, Minn. PCF, September 1990, pg. 98.

Selecting Solder Masks for SMT. To meet the requirements of fine-pitch SMT, photoimageable solder masks are available in varied types. McKeever, Timothy D., DuPont Co., Research Triangle Park, N.C. EP&P, November 1990 supplement, pg. 26.

Automated Solder Inspection: Key to Higher PCB Yields. Impending board-yield crisis is not the result of declining quality, but of increasing board complexity in the fact of unchanging quality. Hendricks, Ryan, Four Pi Systems, San Diego, Calif. SMT, November 1990, pg. 35.

Phototools are Developing the Future of PCBs. Photoplotter technology is keeping pace with design engineers who are developing more intricate and exact PCB designs. Lozano, Robert, Cymbolic Sciences International, Aliso Viejo, Calif. EP&P, December 1990, pg. 42.

Resists, Developers, Strippers

So Many Solder Masks. And so many ways to apply them for finer-technology PCBs. Jerry Murray, West Coast Editor, Circuits Manufacturing, CM, February 1990, pg. 56.

DFSM Hints for SMT PCBs. Dry film solder mask problems with small holes. Gorondy, Emery, Du Pont Co., Wilmington Del. CM, February 1990, pg. 66.

Eagle Process Flies. Photoresist imaging system for fine line circuitry. Wolfrum, Art, Shipley Co., Inc. CM, February 1990, pg. 96.

An Update On Liquid Primary Resists. Fine resolution and SMT requirements have made liquid photoimageable resist a cost-effective alternative to dry film. Ivory, Dr. Nick, Development and Special Projects Group Leader, Coates Electrographics Limited, Bath, England, PCF, April 1990, pg. 30.

Improving Conformance and Yields With Wet Lamination. Wet lamination of dry-film photoresist is not a panacea, but it can cure many of the ills that plague the imaging process. Hayes, Elmer; Director of Technical Support Services; Carraway, Jana, Technical Service Supervisor, Morton International, Specialty Chemicals Group, Dynachem Electronic Materials, Tustin, Calif. PCF, April 1990, pg. 63.

Inner Layer Imaging Using Cataphoretic Electrodeposition. This technique uses a water-based emulsion and plating principles. Wolfrum, Art, Senior Marketing Development Specialist, Photo Products Div of Shipley Co., Inc. Newton, Mass. PCF, April 1990, pg. 70.

Seeking The Most Cost-Effective Interconnect Solution for Electronic Equipment. Some of the many possibilities open to electronics designers and how these opportunities can improve economics and performance of electronic equipment. Weinhold, Michael, Product Application Manager. Du Pont Company, PCF, April 1990, pg. 90.

Fine-Line Processing: The '90s Are Here. Have we pushed this technology to the limit? Gurian, Marshall I., Advanced Systems, Inc., Phoenix, Ariz. PCF, May 1990, pg. 64.

Using Peelable Solder Mask. This new technique was explored to determine its effect on SMOBC processes. Simonelic, Ken, Product Manager, MacDermid, Inc. Waterbury, Conn. PCF, May 1990, pg. 83.

Image Transfer Technology Moves Forward Slowly. Imaging technology changes have been evolutionary. Principal issues now revolve around fine line implementation and direct imaging. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 50.

Solder Stripping Problems. Tin-lead ratio is the biggest clue in the mystery of the white residue. Sediak, Rudy, Technical Director/Sales Manager, RD Chemical Co., Mountain View, Calif. PC Fab, June 1990, pg. 118.

Environmental Stewardship in Product Development. Finally, products are being designed with environmental considerations in mind. Striko, Peter S., Division Coordinator, Health and Environmental Affairs, DuPont Electronics, Wilmington, Del. PCF, June 1990, pg. 95.

Etching Fine Line Printed Circuit Boards. In the past, etching has been a predictable process. But circuits with finer line widths and spaces has made etching much more important. Fjelstad, Joe, J.C. Fjelstad and Associates, Bellevue, Wash. EP&P, August 1990, pg. 58.

Interrelation of Design and Processing in Advanced PCBs. Today's leading edge fabricators grapple with such design issues as finer lines and more lines per channel, layer count decisions, presence of vias, and need for controlled impedance. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 16.

New Technology for Imaging Circuits on Multilayer Boards. CAD and laser photoplotting have revolutionized the front-end of imaging. Development now centers on improving image transfer. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 32.

An Update on Liquid Photoimageable Solder Masks. A survey of the LPMs on the Market. Kiernan, Terry, Assistant Editor, Circuits Manufacturing, CM, September 1990, pg. 23.

Photoimageable Solder Masks. Discussion of liquid and dry solder masks for high density PCBs. Sanscrainte, Ren, Director of Technical Marketing and Quality assurance, Connectronics, Inc. Ft. Lauderdale, Fla. PCF, October 1990, pg. 110.

Additive and Surface Mount: Complementary Technologies. A viable alternative to conventional subtractive processes is examined. Landolt, Roger H., E.I. Du Pont de Nemours & Co., Inc., Wilmington, Del. SMT, October 1990, pg. 25.

Making the Change: PTH to SMT. This article reviews the highs and lows of manufacturing to a different drummer. Lore, Anthony M., Technical Service Manager, Probimer Business Unit, Ciba-Geigy, Tarrytown, N.Y. PCF, October 1990, pg. 28.

A New Technique for Screening Photoimageable Solder Masks. Offset pins allow dual-sided printing. Holzmann, Mathew T., Vice President, Christopher Assoc., Santa Ana, Calif. PCF, October 1990, pg. 56.

Why Use a Wet-Dry Solder Mask? A Santa Clara, California service bureau finds the whole exceeds the sum of its parts. Johnson, Michael, General Manager, MTI, Santa Ana, Calif. PCF, October 1990, pg. 74.

Photoimageable Solder Masks. A comprehensive look at the industry's fastest changing process. Kurisu, Verne, Manager, Solder Mask Inc., Huntington Beach, Calif. PCF, November 1990, pg. 66.

Hybrid Circuit Materials

Multilayer Hybrid Circuits Provide Versatility, Cost Savings. Multilayer hybrids provide alternatives and advantages of multilayer PCBs. Sergent, Jerry E., RF Hybrids, Bellingham, Wash. EP&P, January 1990, pg. 64.

Optical Data Link Packaged for SEMs. A high speed optical data link, designed for minimum size, meets Military's standard electronic module (SEM) requirements. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 51.

Combining Thin and Thick Film Technologies. Using both thin and thick film technologies on a single ceramic substrate can enhance the performance and packaging capabilities of hybrid circuits. Ameen, Joseph G., IBM Corp, Endicott, N.Y. EP&P, March 1990, pg. 69.

Clamp Design Allows Hybrid Replacement. Special clamp design permits fast replacement of a hybrid circuit in a high speed signal transmission application. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 43.

GPS Receiver Miniaturized. A global positioning system has been developed using a chipset that combines high density interconnections, SMT, and special antenna design. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 44.

Furnaces Define Thick-Film Properties. Modern thick-film firing furnaces feature process control systems for ensuring accuracy of the firing profile and gas flow. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 48.

Low Temperature Co-Fired Multilayers Will Thrive in Multichip Modules. For demanding applications, low temperature co-firing compares favorably with established interconnect technologies, even thin film. Lischner, David; Morabito, Joe; and Capers, Rusty, AT&T, Allentown Pa.; Du Pont Electronics, Wilmington, Del., EP&P, July 1990, pg. 48.

Ceramic Packages Strive to Meet Materials Requirements of the 1990s. New ceramic materials and processing techniques hope to drive high performance computers in the new decade. Collins, James F.; Flock, Dr. William M., Coors Ceramics, Golden, Colo. EP&P, August 1990, pg. 48.

Multichip Modules: An Overview of Design, Materials, and Processes. MCMs offer higher I/O accommodation and greater signal processing speeds. Rossi, Robert D., National Starch and Chemical Co., Bridgewater, N.J. SMT, August 1990, pg. 17.

New Challenges in Packaging Power Hybrids. Copper-plated ceramic substrates, in theory, have certain advantages over conventional cermet thick film materials in packaging power hybrid circuits. Evans, Thomas C.; Newell, George S.; Sergent, Dr. Jerry E.; and Fudala, John, Advanced Energy Industries, Ft. Collins, Colo.; R.F. Hybrids, Bellingham, Wash.; Enthone Inc., West Haven Conn. EP&P, September 1990, pg. 46.

Multichip Modules for Today's VLSI Circuits. Thin film, multilayer interconnect technology achieves both high density and high speed. Maravec, Thomas J.; Jensen, Ronald J.; Coogan, Sharon A.;

and Stuebs, Jack, Honeywell Solid State Electronics Center, Plymouth, Minn.; Strategic Systems Operations, Clearwater, Fla. EP&P, November 1990, pg. 48.

Multichip Modules: An Overview. Review of the factors driving system designers to MCMs and the choices available for building an MCM. Geschwind, Gary; and Clary, Robert M., Rose Associates, Los Altos, Calif. PCF, November 1990, pg. 28.

Hybrid Circuit Production Equipment

Wirebonding with CO 2 Lasers. Laser wirebonding allows for millisecond pulse durations and accurate positioning of wires to bond pads. Hernandez, Saul, Amdahl Corp., Sunnyvale, Calif. SMT, March 1990, pg. 24.

Hermeticity Improves Package Reliability. High reliability circuits demand the most of electronic packages. Good hermeticity is one factor contributing to circuit reliability. Dickinson, Darrell; Moore, Dale, Scientific Sealing Technology, Downey, Calif. EP&P, April 1990, pg. 61.

Cassette Autoloader Helps Automate Hybrid Circuit Assembly, Boosts Productivity. AG Communications installed a cassette autoloader to improve productivity and quality in its laser trim department. Hodson, Tim, Electronic Packaging & Production, EP&P, April 1990, pg. 95.

Furnaces Define Thick-Film Properties. Modern thick-film firing furnaces feature process control systems for ensuring accuracy of the firing profile and gas flow. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 48.

Image Transfer Technology Moves Forward Slowly. Imaging technology changes have been evolutionary. Principal issues now revolve around fine line implementation and direct imaging. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, June 1990, pg. 50.

TAB Excels in Fine-Pitch Applications. The interconnection needs of the high-end device market for ECL, ASICs and gate arrays is being satisfied by tape automated bonding. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, September 1990, pg. 32.

New Challenges in Packaging Power Hybrids. Copper-plated ceramic substrates, in theory, have certain advantages over conventional cermet thick film materials in packaging power hybrid circuits. Evans, Thomas C.; Newell, George S.; Sergent, Dr. Jerry E.; and Fudala, John, Advanced Energy Industries, Ft. Collins, Colo.; R.F. Hybrids, Bellingham, Wash.; Enthone Inc., West Haven Conn. EP&P, September 1990, pg. 46.

Wire Bonder Strive to Meet Needs of the New Hybrids. Developing high performance ICs, combined with competitive price and time-to-market procedures, creates significant challenges for hybrid circuit manufacturers. Kelly, Gregg, Orthodyne Electronics, Costa Mesa, Calif. EP&P, September 1990, pg. 58.

Machine Vision for Inspection of Hybrid Circuits Earns Mixed Reviews. Hybrid circuits offer unique challenges to machine vision inspection systems. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 56.

Lasers Fine Tune Thick Film Hybrids. Laser trimming offers high throughput, simplified programming and options for automation. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, November 1990, pg. 58.

Adhesives for Component Bonding. Reliable bonding of surface mount devices to the substrate poses a severe challenge. Loctite Corp., Newington, Conn. EP&P, November 1990 supplement, pg. 24.

A Manufacturing Process for Tape Automated Bonding Pads. AT&T developed a selective solder coating process to meet customer demands for high-density, fine-pitch devices. J.E. Harris, developmental engineer; M.P. Kalliat, technical staff member, AT&T Microelectronics Div., Richmond, Va. PCF, November 1990, pg. 48.

Process Control Success: Gold Bump Plating for TAB. An optimization project returns control to a defect-plagued operation and points the way to further refinements. Trau, James; Wright, Judy; and Williams, Jeannie, Hewlett-Packard, Corvallis, Ore. SMT, November 1990, pg. 50.

Printed Circuit Laminates, Materials, Equipment

Substrates for Fine-Pitch SMDs. All problems with substrates were not foreseen; lurking in background were additional process parameters that need to be resolved. Gonzales, Wil, Polyclad Laminates, Inc., Franklin, N.H. CM, January 1990, pg. 46.

The High-Yield Challenge in Laminating MLBs. Proper attention to laminating techniques, process parameters, and evaluation and test of materials, improves quality and yield of multilayer boards. Hinton, Phillip E., Hinton PWB Engineering, Tucson, Ariz. EP&P, January 1990, pg. 56.

An Overview of Commercial and Military Packaging, Part 2. What materials and structures are most effective for tailoring the coefficient of thermal expansion? Gray, Foster, Senior Member of Technical Staff, Texas Instruments, Austin, Texas, PCF, January 1990, pg. 95.

An Overview of Commercial and Military Packaging, Part III. A continuing analysis of CTE tailoring reveals the impact of evolving technology on this critical segment of the fabrication process. Foster Gray, Senior Member of Tech. Staff, Texas Instruments, Austin, Texas. PCF, February 1990, pg. 120.

Tape Automated Bonding: The Answer to VLSI Packaging Problems. Some of TAB's Characteristics have clear advantages over wire bonding for high density packages. Kelly, Mike A. 3M Co., Austin, Texas. EP&P, February 1990, pg. 90.

Rolled Copper for Flex Applications. In-house study shows yield improvements with double-treated rolled copper foil. Chen, Wei-Cheng, Engineering Manager, Cal-Flex, Inc., Anaheim, Calif. PC Fab, March 1990, pg. 34.

A New Low-Dielectric Material for PCBs. A low-dielectric prepreg has been developed to enhance electrical properties of today's high-technology circuits. Snyder, William W., Marketing Manager, Electrical Composite Materials, W.L. Gore & Associates, Inc. Newark, Del. PCF, March 1990, pg. 41.

Processing CIC PWBs. This material involves special processing considerations, but the potential rewards it offers are numerous. Morris, Stephen E. Morris Consulting, St. Paul, Minn. PCF, March 1990, pg. 60.

Optimizing Formable Laminate. A fabricator's troubleshooting guide for working with an unusual material. Schamback, William W., Product Manager, BEND/flex Material, Rogers Corp., Rogers, Conn. PCF, March 1990, pg. 69.

Flexible Circuitry: What Are We Doing About the '90s? The new decade brings new challenges and opportunities for flex circuit fabricators. Jacobi, William, President, William Jacobi & Associates, Inc., Bennington, Vt. FCF, March 1990, pg. 79.

The Manufacturer of Laminates. Knowledge of the basic laminate manufacturing procedures is the best defense against the perils of PCB processing. Garlington, Chris A., technical services engineer, General Electric Electromaterials, Tucker, Ga. PCF, March 1990, pg. 92

The ESD Control Process is a Tool for Managing Quality. ESD Control Programs follow the Total Quality Management philosophy. Brown, Lonnie; Burns, Dan, Smith Brown & Associates, Glendale, Calif. EP&P, April 1990, pg. 50.

SMT Applications: Additive Polymer Technology Can Eliminate the Need to Solder. An additive polymer circuit technology cuts manufacturing costs by staff PCBs and soldered components with flexible film circuits and bonded components. Poly-Flex Circuits, Inc., Cranston, R.I. SMT, April 1990, pg. 51.

Attacking Smear with Permanganate and Plasma. Two old desmearing favorites, no longer considered environmentally friendly, are being challenged by newer technologies, one wet, the other dry. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 55.

Seeking The Most Cost-Effective Interconnect Solution for Electronic Equipment. Some of the many possibilities open to electronics designers and how these opportunities can improve economics and performance of electronic equipment. Weinhold, Michael, Product Application Manager. Du Pont Company, PCF, April 1990, pg. 90.

Cost-Effective Design and Manufacture of EMC and Controlled-Impedance PCBs. The key to this technique is to leave as much copper as possible on the substrate. Cotton, Martin, Packaging Technology Manager, Northern Telecom Europe Ltd, Hertfordshire, England. PCF, April 1990, pg. 98.

Multilayer Bonding: Current Technology and a New Alternative. An old process gains new luster with the promise of improved epoxy/polimide bond strength. Dietz, K.H.; Palladino, J.V.; Vitale, A.C. DuPont Electronics, Applied Technology Group, Wilmington, Del. PCF, May 1990, pg. 46.

Users Solve 3-D Packaging Problems. Several OEMs tell how they applied molded boards and bendable substrates to three-dimensional packaging problems. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 56.

SMT Laminates. Properties tailored to growing market SMT laminates. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, July 1990, pg. 30.

Low Temperature Co-Fired Multilayers Will Thrive in Multichip Modules. For demanding applications, low temperature co-firing compares favorably with established interconnect technologies, even thin film. Lischner, David; Morabito, Joe; and Capers, Rusty, AT&T, Allentown Pa.; Du Pont Electronics, Wilmington, Del. EP&P, July 1990, pg. 48.

Multichip Modules: An Overview of Design, Materials, and Processes. MCMs offer higher I/O accommodation and greater signal processing speeds. Rossi, Robert D., National Starch and Chemical Co., Bridgewater, N.J. SMT, August 1990, pg. 17.

Circuit Board Technologies for the '90s from a Materials Perspective. Resin alternatives for SMT and their impact on mechanical and electrical properties are discussed. Garrou, Phil; Aldrich, Dale, Dow Chemical Co., Midland, Mich. SMT, August 1990, pg. 43.

Etching Fine Line Printed Circuit Boards. In the past, etching has been a predictable process. But circuits with finer line widths and spaces has made etching much more important. Fjelstad, Joe, J.C. Fjelstad and Associates, Bellevue, Wash. EP&P, August 1990, pg. 58.

The Impact of New Technology on PCB Processing. Printed Circuit Board Fabrication is changing fast under the drivers like surface mounting and multilayer technology. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 10.

Interrelation of Design and Processing in Advanced PCBs. Today's leading edge fabricators grapple with such design issues as finer lines and more lines per channel, layer count decisions, presence of vias, and need for controlled impedance. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 16.

The Status of Materials Technology for MLBs. New laminates, new reinforcement, and constraining core materials and resin coated copper foil are here today for advanced MLBs. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 22.

Registration and Lamination of the Layers in the Stack. Complexity of MLBs grows with layer count. New technology will help the fabricator to manage it. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 49.

Rigid-Flex Delamination. A new aluminum template combats problems associated with plasma processing. Cherf, Robert M., Senior Quality Engineer, Martin Marietta Missile Systems, Ocala, Fla. PCF, September 1990, pg. 134.

Trends in Electronic Substrate Technology. PC board substrates are becoming increasingly important components in electronic equipment. Analysis of laminate properties reveals paths toward their commercial acceptance and use. Senese, Tony, Nelco Products, Inc., Fullerton, Calif. EP&P, September 1990, pg. 40.

Critical Mix-Up. Laminator brings epoxy resin batching to a new level of control. Edelmann, Gene F.; and Nguyen. Tim, Copper Laminates Div. of Westinghouse Electric Corp., Sylmar, Calif. PC Fab, November 1990, pg. 64.

Printed Circuit Fabrication Equipment

The High-Yield Challenge in Laminating MLBs. Proper attention to laminating techniques, process parameters, and evaluation and test of materials, improves quality and yield of multilayer boards. Hinton, Phillip E., Hinton PWB Engineering, Tucson, Ariz. EP&P, January 1990, pg. 56.

Photoplotter, Workstation Increase Throughput of Through-Hole and Multilayer Boards. Laser photoplotter aids board manufacturer with different jobs and batch sizes. Hodson, Tim, Electronic Packaging & Production, EP&P, February 1990, pg. 142.

Guide to Plating High Aspect Ratio Holes. It is possible to metalize long, very fine holes without an intimate knowledge of chemistry and fluid dynamics. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, March 1990, pg. 54.

Rapid Determination of Ionic Contaminants by Two-Dimensional, High-Performance Liquid Chromatography. A chromatographic system has proven to separate and detect weak and strong anions. Dunn, Michael H., Northern Telecom, Inc., Nashville, Tenn. SMT, March 1990, pg. 40.

Autoclave Usage in the PCB Industry. The vacuum press provides uniform laminate. Haskins, Don; and Lake, Matt, Digital Equipment Corp. CM, March 1990, pg. 72.

The Reasons for Edge Beveling. Why is this simple but effective technique often omitted? Houle, Warren R., Marketing Manager, OAC Mfg. Co. Ltd, Irvine, Calif. PCF, March 1990, pg. 83.

Case History: From Spec to Beta Site in Three Months - Mercury Computer Systems Shaves Time-to-Market of High-Density Boards. Dozier, Paul; Yacovitch, Bill, Mercury Computer Systems, Inc., Lowell, Mass. SMT, April 1990, pg. 22.

The Design and Manufacture of Metal Mask Stencils - Meeting the Challenge of Fine Pitch Technology. SMT puts additional demands on fabricators of metal mask stencils. Coleman, Dr. William E.; Myklak, Robert, Photo Stencil, Inc., Colorado Springs, Colo. SMT, May 1990, pg. 26.

Small Hole Drilling Is More Than 'Boring' Little Holes. As printed circuit board holes get smaller, board fabricators are faced with 'deeper' challenges. Goulet, Dave, Users Group Enterprises, Laguna Beach, Calif. EP&P, May 1990, pg. 80.

Can Chemistry be Environmentally Attractive? Reducing the quantity and level of hazardous chemicals is on the minds of every board fabricator. Bracht, William; Senior Blackhole Specialist; Piano, Anthony, Research Associate, Olin Chemical, Portsmouth, N.H. PCF, June 1990, pg. 102.

Evaporation Technology: A Tool for Waste Minimization. This technique reduces waste volume and provides deionized water for reuse. Driscoll, Terence P., Vice President, Waste Purification Systems, Inc., Atlanta, Ga. PCF, June 1990, pg. 38.

Seven Crucial Issues in Ion Exchange. To maintain an efficient system, consider these criteria. Hosea, M.; Nelis, P.; Mayne, M.; Greene, M., Bio-Recovery Systems, Inc., Las Cruces, N.M. PCF, June 1990, pg. 44.

Ion Exchange in a PCB Facility. This technology satisfies environmental requirements - with the bonus of reduced costs and increased rinse water quality. Sprinkle, Mitchell, Chemical Engineer, Proto Systems of Atlanta, Alpharetta, Ga. PCF, June 1990, pg. 56.

Wastewater Control. How three PCB shops are handling the problem. Kowalski, Mark, Vice President, Aero-DDL, Anaheim, Calif. PCF, June 1990, pg. 60.

CAD Photoplotting Considerations for Surface Mount Designs. Common problems occur when plotting artwork and manufacturing PCBs. Klages, Scott, Orbot, Inc., Santa Ana, Calif. SMT, July 1990, pg. 29.

Etching Fine Line Printed Circuit Boards. In the past, etching has been a predictable process. But circuits with finer line widths and spaces has made etching much more important. Fjelstad, Joe, J.C. Fjelstad and Associates, Bellevue, Wash. EP&P, August 1990, pg. 58.

The Impact of New Technology on PCB Processing. Printed Circuit Board Fabrication is changing fast under the drivers like surface mounting and multilayer technology. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 10.

Interrelation of Design and Processing in Advanced PCBs. Today's leading edge fabricators grapple with such design issues as finer lines and more lines per channel, layer count decisions, presence of vias, and need for controlled impedance. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 16.

New Technology for Imaging Circuits on Multilayer Boards. CAD and laser photoplotting have revolutionized the front-end of imaging. Development now centers on improving image transfer. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 32.

Wet Processing, Drilling and Inspection for MLBs. Increasing multilayer use sparks new solutions for back end processes of PCB fabrication. Ginsberg, Gerry, Component Data Associates, Lafayette, Pa. EP&P, August 1990 supplement, pg. 41.

Registration and Lamination of the Layers in the Stack. Complexity of MLBs grows with layer count. New technology will help the fabricator to manage it. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 49.

Electroless Copper Technology in Transition. Electroless technology has steadily improved for a decade, addressing environmental concerns and the advent of new high-temp resins, and increasing in stability and efficiency. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 70.

Multichip Modules for Today's VLSI Circuits. Thin film, multilayer interconnect technology achieves both high density and high speed. Maravec, Thomas J.; Jensen, Ronald J.; Coogan, Sharon A.; and Stuebs, Jack W., Honeywell Solid State Electronics Center, Plymouth, Minn., Strategic Systems Operations, Clearwater, Fla. EP&P, November 1990, pg. 48.

Phototools are Developing the Future of PCBs. Photoplotter technology is keeping pace with design engineers who are developing more intricate and exact PCB designs. Lozano, Robert, Cymbolic Sciences International, Aliso Viejo, Calif. EP&P, December 1990, pg. 42.

Printed Circuit Drilling Machines, Tools

Drilling: Conquering the Multilayer. Can eight-layer boards be drilled three-high? Dynamotion Corp., Santa Ana, Calif. PC Fab, February 1990, pg. 36.

New Developments in Cemented Carbide PCB Microdrills. Ultrafine-grain cemented carbide tools have evolved in step with PCB miniaturization. Vaun, Thompson, Technical Manager - hard metals, Sandvik Hard Materials Ltd., Conventry, England. PC Fab, February 1990, pg. 46.

Selecting Overlay Energy Material for Small-Hole Drilling. The smaller the drill diameter, the bigger the problems encountered in optimizing the drilling process. John Korbonski, President, SDI (Systems Division, Inc.), Tustin, Calif. PC Fab, February 1990, pg. 54.

How to Drill Small Holes. A checklist for achieving maximum stack heights and acceptable registration. Smith, Jon M., Applica-

tions Engineer, Carbide International, Chicago, Ill. PC Fab, February 1990, pg. 56.

Drilling Protocol. How does an Ethernet LAN cable plug into a drill? Wedge, Todd S., Marketing Director, Centrum Research Inc., Dallas, Texas. PC Fab, February 1990, pg. 67.

Networking Your Drills: A Second Opinion. Consider the capabilities of the personal computer. Walton, Russell W., California Software System, San Jose, Calif. PC Fab, February 1990, pg. 81.

Attacking Smear with Permanganate and Plasma. Two old desmearing favorites, no longer considered environmentally friendly, are being challenged by newer technologies, one wet, the other dry. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 55.

Drill Tips. Understanding tolerances and how to compensate for them with difference ranges of drill bits. Users Group Enterprises, Laguna Beach, Calif. PC Fab, May 1990, pg. 114.

Small Hole Drilling Is More Than "Boring" Little Holes. As printed circuit board holes get smaller, board fabricators are faced with 'deeper' challenges. Goulet, Dave, Users Group Enterprises, Laguna Beach, Calif. EP&P, May 1990, pg. 80.

Wet Processing, Drilling and Inspection for MLBs. Increasing multilayer use sparks new solutions for back end processes of PCB fabrication. Ginsberg, Gerry, Component Data Associates, Lafayette, Pa. EP&P, August 1990 supplement, pg. 41.

Rigid-Flex Delamination. A new aluminum template combats problems associated with plasma processing. Cherf, Robert M., Senior Quality Engineer, Martin Marietta Missile Systems, Ocala, Fla. PC Fab, September 1990, pg. 134.

Printed Circuit Plating Systems, Chemicals

An Analysis of the Titanium Effect. Small amounts of titanium in acid copper sulfate did not affect the plated copper, but did interfere with CVS brightener analysis. Russell, David, Laboratory Manager, Digital Equipment Corp., Greenville, S.C. PCF, January 1990, pg. 113.

New Copper Surface Treatment for Polyimide Multilayer PWBs. The increasing importance of adhesion in multilayer boards makes this new treatment process a valuable addition to the production process. Akahoski, Hauruo; Suzuke, Yoshihiro; Kogawa, Kiyonori; Wajima, Motoyo, Hitachi Research Laboratory, Hitachi Ltd, Hitachi-Shi, Japan and Kanagawa Works, Hitachi Ltd., Hatano, Japan. PCF, January 1990, pg. 82.

Guide to Plating High Aspect Ratio Holes. It is possible to metalize long, very fine holes without an intimate knowledge of chemistry and fluid dynamics. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, March 1990, pg. 54.

Attacking Smear with Permanganate and Plasma. Two old desmearing favorites, no longer considered environmentally friendly, are being challenged by newer technologies, one wet, the other dry. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 55.

Plating Challenges. Small holes and planarity pose problems in PCB plating. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, April 1990, pg. 90.

Copper Circuitization: Present Practices and Principles, Part I. Various methods of generating copper circuits are evaluated in terms of performance, economics and environmental impact. Reid, J.; Underkoffler, W.; Bindra, P.; Galasco, R., IBM Systems Technology Division, Endicott, N.Y. PCF, May 1990, pg. 22.

Blackhole Update. A status report on this unique technology. PCF, May 1990, pg. 36.

In-Tank Filtration/Solution Purification. New developments mark the end of a "silent era"in PCB process. Horvath, Gene, President, Flo King Filter Systems, Longwood, Fla. PCF, May 1990, pg. 71.

Rediscovering Oxides. The original objective of this experiment was achieved, but it was the unexpected findings that proved to be the major discovery. Boarts, Charlene, Chemist; Sedlak, Ruby, Technical Director/Sales Manager, RD Chemical Co, Mountain View, Calif. PCF, May 1990, pg. 78.

Can Chemistry be Environmentally Attractive? Reducing the quantity and level of hazardous chemicals is on the minds of every board fabricator. Bracht, William; Senior Blackhole Specialist; Piano, Anthony, Research Associate, Olin Chemical, Portsmouth, N.H. PCF, June 1990, pg. 102.

Controlling Particulate Contamination in Baths. Dust, dirt and impurities too small to see or touch can lead to board rejection and low yields. Ayral, Phd, Seyda, Staff Scientist, Pall Corp., Scientific and Laboratory Services Department, East Hills, N.Y. PCF, June 1990, pg. 79.

The Case for Metal Recovery. Metals dissolved in PCB process solutions can be recovered by several technologies, as an integral part of waste management. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 44.

Interrelation of Design and Processing in Advanced PCBs. Today's leading edge fabricators grapple with such design issues as finer lines and more lines per channel, layer count decisons, presence of vias, and need for controlled impedance. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 16.

Wet Processing, Drilling and Inspection for MLBs. Increasing multilayer use sparks new solutions for back end processes of PCB fabrication. Ginsberg, Gerry, Component Data Associates, Lafayette, Pa. EP&P, August 1990 supplement, pg. 41.

Lightning in a Jar. Electrostatic spraying solder coating techniques. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, August 1990, pg. 62.

Specifications for Quality Copper Anodes. Minimally, you should look for products that meet governmental guidelines for purity. Walker, Chuck W., Manufacturing Metallurgist, Univertical Corp., Detroit, Mich. PCF, August 1990, pg. 67.

Electroless Copper Technology in Transition. Electroless technology has steadily improved for a decade, addressing environmental concerns and the advent of new high-temp resins, and increasing in stability and efficiency. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 70.

Printed Circuit Etching Systems, Chemicals

Evaluation of Fluorocarbon Etchants. Tests were performed using three different etchants on woven and nonwoven fiberglass. Carl Brogado, Process Engineer, Ball Communication Systems Div., Westminster, Colo. PCF, January 1990, pg. 113.

Attacking Smear with Permanganate and Plasma. Two old desmearing favorites, no longer considered environmentally friendly, are being challenged by newer technologies, one wet, the other dry. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 55.

Fine-Line Processing: The '90s Are Here. Have we pushed this technology to the limit? Gurian, Marshall I. Advanced Systems, Inc., Phoenix, Ariz. PCF, May 1990, pg. 64.

The Case for Metal Recovery. Metals dissolved in PCB process solutions can be recovered by several technologies, as an integral part of waste management. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 44.

Etching Fine Line Printed Circuit Boards. In the past, etching has been a predictable process. But circuits with finer line widths and spaces has made etching much more important. Fjelstad, Joe, J.C. Fjelstad and Associates, Bellevue, Wash. EP&P, August 1990, pg. 58.

Interrelation of Design and Processing in Advanced PCBs. Today's leading edge fabricators grapple with such design issues as finer lines and more lines per channel, layer count decisions, presence of vias, and need for controlled impedance. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 Supplement, pg. 16.

Wet Processing, Drilling and Inspection for MLBs. Increasing multilayer use sparks new solutions for back end processes of PCB fabrication. Ginsberg, Gerry, Component Data Associates, Lafayette, Pa. EP&P, August 1990 supplement, pg. 41.

Rigid-Flex Delamination. A new aluminum template combats problems associated with plasma processing. Cherf, Robert M., Senior Quality Engineer, Martin Marietta Missile Systems, Ocala, Fla. PCF, September 1990, pg. 134.

Printed Circuit Cleaning Equipment, Solutions

Ultrasonic Cleaning: What's the Buzz? Ancient spec bans US machines. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, January 1990, pg. 72.

How Clean is Centrifugal Clean? Tests with five compounds show centrifugal's effectiveness. Randolph, Steve, Accel Corp., Plano, Texas, CM, February 1990, pg. 90.

CFC-Alternatives Reach Critical Mass. Three years after Montreal, industry begins eliminating CFCs. Brinton, James B., Contributing Editor, Circuits Manufacturing, CM, April 1990, pg. 14.

New HCFC Material Passes Phase 2 Test. CFC replacement clears a major hurdle. Bonner, J.K., Allied-Signal Inc., Melrose Park, Ill. CM, April 1990, pg. 19.

Semiaqeous: A progress Report. Addressing the issues of performance, machine safety, and environmental impact. Attalla, Gary, Product Manager, Vitronics Corp., Newmarket, N.H. CM, April 1990, pg. 22.

User Qualifies Terpene Cleaning. The terpene process was evaluated for performance, compatibility, waste discharge and cost. Hamblett, Gregory W.; and Larsson, Glenn A., CalComp, Hudson, N.H. CM, April 1990, pg. 28.

Semiaqueous Steps Forward. Advantages of and process options for hydrocarbon-based cleaners. Dishart, Dr. K.T.; Wolff, M.C., E.I. du Pont de Nemours & Co., Inc., Wilmington, Del. CM, April 1990, pg. 36.

From Solvent to Aqueous Cleaning. A case study of how to make the switch; how and why one company made the switch. Morteson, Del, Toshiba America Information Systems, Irvine, Calif. CM, April 1990, pg. 41. Circuits Manufacturing name was changed to Circuits Assembly beginning with the October 1990 issue.

Attacking Smear with Permanganate and Plasma. Two old desmearing favorites, no longer considered environmentally friendly, are being challenged by newer technologies, one wet, the other dry. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 55.

Cover Gas Soldering Leaves Nothing to Clean Off PCB Assembly. Suppliers and users are working diligently to solve the problem of residual flux removal from soldered boards. The solution may be no-flux soldering. Fodor, Peter; Lensch, Peter J., OCS-SMT Automation Inc., Montreal, Canada. EP&P, April 1990, pg. 64.

An Analysis of Three Aqueous Cleaning Methods. Results of cleaning with a saponifier solution, DI water and the terpene agent. Elliott, Donald A., Director of Advanced Technology, Electrovert Ltd., Laprairie, Quebec, Canada. CM, April 1990, pg. 44.

The Question of Surface Preparation: Mechanical or Chemical? It's agreed that the board has to be clean, but which technique is best? Weidner, Gary A., Vice President Marketing, Electronic Chemical Systems Group with Androx Ind., La Mirada, Calif. PCF, May 1990, pg. 61.

The Case for Metal Recovery. Metals dissolved in PCB process solutions can be recovered by several technologies, as an integral part of waste management. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 44.

Water-Alcohol Wades In. New batch cleaning process achieves low ionic test results. Glass, Steven D., Director of Marketing & Sales, Electronic Controls Design, Inc., Milwaukie, Ore. CM, July 1990, pg. 36.

Wet Processing, Drilling and Inspection for MLBs. Increasing multilayer use sparks new solutions for back end processes of PCB fabrication. Ginsberg, Gerry, Component Data Associates, Lafayette, Pa. EP&P, August 1990 supplement, pg. 41.

Successful PCB Water Cleaning Systems. Cleaning PCBs safely is an extremely important assembly issue. Aqueous cleaning systems are aiding assemblers with this critical issue. Andrus, James J., Hollis Automation, Inc., Nashua, N.H. EP&P, October 1990, pg. 64.

Bare Board Inspection/Test Instruments, Systems

The High-Yield Challenge in Laminating MLBs. Proper attention to laminating techniques, process parameters, and evaluation and test of materials, improves quality and yield of multilayer boards. Hinton, Phillip E., Hinton PWB Engineering, Tucson, Ariz. EP&P, January 1990, pg. 56.

High-Voltage Testing. The key to higher quality and lower cost of the final product lies in better up-front testing; the question is how to test bare boards more accurately. Wilke, Dave, Everett/Charles Test Equipment, Inc., Pomona, Calif. CM, January 1990, page 89.

High-Voltage Testing. The key to higher quality and lower cost

of the final product lies in better up-front testing or how to test bare boards more accurately. Wilke, Dave, Everett/Charles Test Equipment, Inc., Pomona, Calif. CM, January 1990, pg. 89.

An Overview of Automatic Optical Inspection. The requirements of AOI for surface mount are continuing to become more stringent. Mead, Donald C., IRI Vision, Carlsbad, Calif. SMT, February 1990, pg. 48.

AOI Helps Fine Line PCB Fabricators Refine Processes. Engineers analyze data to determine the type of corrective action needed to bring a process in line. Pirocanac, Diana, Managing Editor, Special Publications, Electronic Packaging & Production, EP&P, March 1990, pg. 76.

The Human Role in Inspecting TAB Outer Lead Bonds. A subjective approach to inspection has helped new technology programs. Bruno, Louis A., Data General Corp., Portsmouth, N.H. EP&P, March 1990, pg. 81.

Probing ATE Trends in the 1990s. Automated test equipment is riding the popularity wave of SMT and FPT. Creeden, Joseph M., Testerion Laboratories, Cucamonga, Calif. SMT, March 1990, pg. 43.

Bare-Board Testing and Pad Damage. Be Cautious when testing with a translator fixture. Aksu, Allen, President, Program Data, Inc., Irvine, Calif. PCF, April 1990, pg. 86.

Manual Techniques for Military/Aerospace SMT Testing. Testing fine pitch devices requires many traditional method soft test fixturing. Logan, John K., Inter-Logic Systems Co., Inc., Garden Grove, Calif. SMT, May 1990, pg. 39.

Complex Board Development Aided by Moving Probe Testers. Complex PCB production testing is enhanced using a moving probe tester. Hodson, Tim, Electronic Packaging & Production, EP&P, June 1990, pg. 105.

The Current State and Future of AOI. An industry still on the move. Eldan, Eli, Vision Product Manager; Feingold, Chuck, U.S. West Coast Sales Manager. Optrotech Inc., Santa Ana, Calif. CM, June 1990, pg. 49.

The Analytical Technique. Joining the ranks of comparison and design rule systems, this method represents a third approach to AOI. Lloyd, Roy, Managing Director, Lloyd Doyle Ltd., Surrey, England. PCF, July 1990, pg. 83.

The Status of Materials Technology for MLBs. New laminates, new reinforcement, and constraining core materials and resin coated copper foil are here today for advanced MLBs. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 22.

Wet Processing, Drilling and Inspection for MLBs. Increasing multilayer use sparks new solutions for back end processes of PCB fabrication. Ginsberg, Gerry, Component Data Associates, Lafayette, Pa. EP&P, August 1990 supplement, pg. 41.

Registration and Lamination of the Layers in the Stack. Complexity of MLBs grows with layer count. New technology will help the fabricator to manage it. Ginsberg, Gerry, Component Data Associates, Lafayette Hill, Pa. EP&P, August 1990 supplement, pg. 49.

Setting Up An Automatic Optical Inspection Department. Consider these factors before you pruchase your equipment. Ino, Rosemarie G., Multilayer Production Supervisor, Zycon Corp, Santa Clara, Calif. PCF, August 1990, pg. 35.

Problem Solving with SEM/EDX. These two tools are valuable for identifying performance failures. Lazar, Claudia J., General Manager. Trace Laboratories, Linthicum, Md. PCF, August 1990, pg. 42.

Where is ET's Home? The integration of electrical test in CIM. Grasso, James G., Circuitest Services, Inc., Nashua N.H. CM, August 1990, pg. 57.

New Challenges in Packaging Power Hybrids. Copper-plated ceramic substrates, in theory, have certain advantages over conventional cermet thick film materials in packaging power hybrid circuits. Evans, Thomas C.; Newell, George S.; Sergent, Dr. Jerry E.; and Fudala, John, Advanced Energy Industries, Ft. Collins, Colo.; R.F. Hybrids, Bellingham, Wash.; Enthone Inc., West Haven Conn. EP&P, September 1990, pg. 46.

The Right Continuity Test Parameters. Reality - not theory - should determine test levels. Hroundas, George, President, Trace Instruments, Canoga Park, Calif. PCF, September 1990, pg. 107.

The Future of PCB Testing. Will today's test methods be sufficient for tomorrow's PCBs? Colbert, Dennis, Marketing Representative, DIT-MCO International, Kansas City, Mo. PCF, September 1990, pg. 66.

Machine Vision for Inspection of Hybrid Circuits Earns Mixed Reviews. Hybrid circuits offer unique challenges to machine vision inspection systems. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 56.

Automated Solder Inspection: Key to Higher PCB Yields. Impending board-yield crisis is not the result of declining quality, but of increasing board complexity in the face of unchanging quality. Hendricks, Ryan, Four Pi Systems, San Diego, Calif. SMT, November 1990, pg. 35.

Materials Handling/Conveying Equipment

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

SMT Applications: Conveyor Systems Boosts Assembly Line Productivity, Automation. Production at a board manufacturer is enhanced with a new conveyor systems. SMT, March 1990, pg. 51.

Cassette Autoloader Helps Automate Hybrid Circuit Assembly, Boosts Productivity. AG Communications installed a cassette autoloader to improve productivity and quality in its laser trim department. Hodson, Tim, Electronic Packaging & Production, EP&P, April 1990, pg. 95.

Special Materials Help Manufacturers Tackle ESD. A variety of materials can help control electrostatic discharge. These guidelines help to select what's available. Watson, Don; Kolyer, Dr. John, Rockwell International, Autonetics Div., Anaheim, Calif. EP&P, May 1990, pg. 72.

Process Benefits of Edge Conveying with Product Support During Reflow. A product support apparatus helps eliminate board sagging on edge conveyors during reflow soldering. Hill, Barrie; Hasko, Tim, ETS Energy Technology Systems, Inc., Plymouth, Minn. SMT, September 1990, pg. 61.

The Next Generation of AOI. Three vendors discuss their vision of the future. Zwern, Arthur; Doyle, Keith; Gilutz, Hanan, KLA Instrument Corp., Jan Jose, Calif., Lloyd Doyle, Ltd., Walton-on-Thames, England, Orbot Systems, Ltd., Yavnch, Israel. PCF, September 1990, pg. 88.

Controlling ESD with Partitions. A new type of packaging for high-volume manufacturing meets all ESD requirements at a low cost and is labor effective. Plaster, Jeffrey, Delco Electronics, Kokomo, Ind. EP&P, November 1990, pg. 84.

Assembly Tooling and Fixtures

Smart Feeders Prevent Placement Errors. How to improve assembly security in SMT. Black, Jr., Robert J., President; Dill, Andreas, Development Mgr.; and Breitschmid, Toni, Software Mgr., Zevatech, Inc., Switzerland. CM, January 1990, pg. 66.

Versatile Tool Aids Unisys' Development Projects. A form and trim tool assist low volume mixed technology board production. Hodson, Tim, Electronic Packaging & Production, EP&P, November 1990, pg. 87.

Screen Printing Equipment, Accessories

The Fine-Pitch Screen-Printing Process. Taking on tighter tolerances for fine-pitch solder deposition. Freeman, Gary, MPM Corp., Franklin, Mass. CM, January 1990, pg. 50.

A Picture of Paste-Printing. One user's sketch of printing solder paste on fine pitch. Freiberger, Richard, Director of Operations, ICI Array Technology, San Jose, Calif. CM, January 1990, pg. 56.

How Accurate is Accurate? Defining accuracy in solder-paste printing. Squibb, Frank N.; Engineering Director, DEK Printing Machines Ltd., Weymouth, England. CM, January 1990, pg. 60.

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

SMT Applications: Vacuum Fluorescent Display Manufacturer Improves Surface Mount Production With New Vision Equipment. A vacuum fluorescent display manufacturer describes its conversion to SMT. SMT, March 1990, pg. 47.

Keeping Solder Paste Under Control. Inexpensive, but powerful tools for controlling this pesky process parameter. Bello, David C., Materials Manager, Circuits Manufacturing, CM, March 1990, pg. 96.

Advances in Fine Pitch SMT Screen Printing Equipment. Automated in-line screen print systems are becoming more popular and affordable. Freeman, Gary, MPM Corp., Franklin, Mass. SMT, May 1990, pg. 16.

The Design and Manufacture of Metal Mask Stencils - Meeting the Challenge of Fine Pitch Technology. SMT puts additional demands on fabricators of metal mask stencils. Coleman, Dr. William E.; Myklak, Robert, Photo Stencil, Inc., Colorado Springs, Colo. SMT, May 1990, pg. 26.

SMT Applications: Scooper Squeegee Helps Improve Print Yields. A 'scooper squeegee' can eliminate some screen printing problems. Erdmann, Gunter, HTI Engineering Inc., Medfield, Mass. SMT, May 1990, pg. 48.

A Survey of Screen Printers. SMT solder-paste printers, by the numbers. Brinton, James B., Contributing Editor, Circuits Manufacturing, CM, May 1990, pg. 76.

Methods of Dispensing and Curing Surface Mounting Adhesives. Screen printing, syringes, and pin transfer are the three principal methods for dispensing SMD adhesives. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 33.

SPC Techniques to Improve Automated Screen Printing. Advances in screen printing have made it possible for the SPC staff to implement practical programs. Elias, Ira G., MPM Corp., Franklin, Mass. SMT, September 1990, pg. 20.

The Old and the New: Screen Printing and SMT. Automation strives to take most of touch and feel out of the screen printing. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, September 1990, pg. 64.

Screen Printing Troubleshooting Guide. This troubleshooting guide targets those major problem areas and then tells you where to look for solutions. Lemons, Mike, Senior Production Manager, Hadco Corporation, Owego, N.Y. PCF, October 1990, pg. 38.

Screen Printing Terminology. These terms and definitions are used in circuit board screen printing. Lemons, Mike, Senior Production Manager. Hadco Corp., Owego, N.Y. PCF, October 1990, pg. 48.

A New Technique for Screening Photoimageable Solder Masks. Offset pins allow dual-sided printing. Holzmann, Mathew T., vice president, Christopher Assoc., Santa Ana, Calif. PCF, October 1990, pg. 56.

Metal Selection for Stencils. Brass or stainless: An overview of the features of both metals for screening stencils. Jenczewski, Cathy, President, Micro Screen, South Bend, Ind. CA, October 1990, pg. 72.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Coleman, William E.; and Bois, Philip, Photo Stencil Inc., Colorado Springs, Colo., Digital Equipment Corp., Enfield, Mass. EP&P, November supplement, pg. 14.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Nieves, Russell J., Synthetic Vision Systems, Ann Arbor, Mich. EP&P, November 1990 supplement, pg. 14.

Stencil/Screen Cleaning Techniques for the 1990s. Surface finish of the stencil foil is also an important parameter in controlling print definition. Aderman, Larry; Fox, Nadine, EMC Domestic Inc., Doylestown, Pa. EP&P, November supplement, pg. 16.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering is dependent upon the performance of the solder paste during printing, assembly and reflow. Burkhart, Art, Dexter Electronic Materials Div., Industry, Calif. EP&P, November 1990 supplement, pg. 9.

Semi/Automatic/Robotic Insertion/Placement Equipment

Evaluating Pick-and-Place Machine Accuracy. Choosing SMT equipment has become more and more complex. Farlow, D.T.;

Putney, M., Triac Technologies Inc., San Jose, Calif. SMT, January 1990, pg. 14.

Viewing Fine-Pitch Placement. As SMDs and tolerances get smaller, fine-pitch placement problems get bigger. Brinton, James B., Contributing Editor, Circuits Manufacturing, CM, January 1990, pg. 20.

Machine Vision in High-Accuracy SMT Autoplacers. Machine vision is applied different ways in autoplacers. Here's an overview. Ayoub, George T., International Robomation Intelligence (IRI), Carlsbad, Calif. CM, January 1990, pg. 28.

SMT and Vision: Are They Compatible? Integrating vision into SMT assembly. Newbury, Phil, Panasonic Factory Automation, Franklin Park, Ill. CM, January 1990, pg. 34.

Putting Fine-Pitch Errors on a Budget. How to analyze an error budget for fine-pitch placement. Deley, Mike; Ramsey, Craig; and Smith, Dave, Quad Systems Corp., Horsham, Pa. CM, January 1990, pg. 40.

The Quiet, Innovative Evolution of Through-Hole Assembly Technology. While SMT gets the limelight, the need for quality and reliability is driving exciting developments in through-hole component insertion technology. Stanton, Ken, Universal Instruments Corp., Binghamton, N.Y. EP&P, February 1990, pg. 102.

Assembling Fine Pitch Devices on Fine Line PCBs Poses New Challenges. When placing fine pitch components on fine line PCBs, the choice of components, the geometry of land patterns and processing options all must be considered at the physical design stage. Solberg, Vern, SCI Manufacturing, San Jose, Calif. EP&P, February 1990, pg. 125.

Robotics East Odd-Form Component Insertion Problems at GE Fanuc. A two-workcell system combining robotics with modular feeders aids component insertion for production of controllers. Hodson, Tim, Electronic Packaging & Production, EP&P, February 1990, pg. 141.

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

What's New in Placement. NEPCON West serves as the launching pad for new pick-and-placers. James B. Brinton, Contributing Editor, Circuits Manufacturing, CM, February 1990, pg. 20.

SMT Applications: Profiling Your Solder Reflow Oven in Three Passes or Less. A profiling system is designed to reduce the number of passes to profile a solder reflow system. Kazmierowicz, Philip C., KIC Oven Profiling, Wildomar, Calif. SMT, February 1990, pg. 61.

SMT Applications: Vacuum Fluorescent Display Manufacturer Improves Surface Mount Production With New Vision Equipment. A vacuum fluorescent display manufacturer describes its conversion to SMT. SMT, March 1990, pg. 47.

Robotic Assembly. Things are happening so fast I want to hold on with both hands. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, March 1990, pg. 76.

Reworking Assembled Printed Circuit Boards. Faulty components are easily removed and replaced by today's rework tools. But care is required to avoid board damage. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 75.

The Effect of Temperature of Surface Mount Adhesive Application, Equipment and Performance. The temperature of an adhesive affects its performance. DeBarros, Tony, Emerson & Cuming, Inc. (a Grace Co.) Woburn, Mass. SMT, April 1990, pg. 27.

Robots on the Assembly Line. Having evolved into highly sophisticated PCB assembly systems, robots cost-effectively compete with dedicated machines under special circumstances unique to individual operations. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 64.

Fine Chips: The Ultraminiature Surface Mount Solution. Flip chip ICs improve reliability and reduce manufacturing cost. Gibson, Barbara, Cherry Semiconductor Corp., East Greenwich, R.I. SMT, May 1990, pg. 23.

Selecting Placement Equipment for Surface Mount. Surface Mount placement machines meet all of a manufacturer's production requirements. Martin, Chris, Memorex Telex, Raleigh, N.C. SMT, June 1990, pg. 19.

Component Feeders for SMT Board Assembly. When automating SMT assembly, feeder selection should be a major consideration. Peterson, James R., Component Express Corp., Richardson, Texas. SMT, June 1990, pg 31.

The Surface Mount Component Placement Process. On a day-to-day basis, the placement tends to require the production operator's attention more than any other process in the assembly line. Alexander, Todd P., Phoenix Technologies, Inc., Valley Forge, Pa. SMT, June 1990, pg. 45.

High Yield Manufacturing for SMT. All of the problems commonly identified with SMT will come home to roost if a company's manufacturing strategy is not properly phased into the SMT process. Kratz, John, NTCM, Northampton Community College, Bethelehem, Pa. SMT, July 1990, pg. 34.

Surface Mount Assembler Helps Meet Demand for Memory-Related Products. A surface mount assembler with a component handling system is aiding the production DRAM upgrades. Hodson, Tim, Electronic Packaging & Production, EP&P, August 1990, pg. 63.

Solving Large Board Problems. A contract manufacturer developed a system of its own to handle large boards. Merrithew, Larry, Technical Services Manager, IEC Electronics, Newark, N.Y. CM, August 1990, pg. 90.

A Case History of SMT at Datamedia Corporation. Company established an automated SMT placing 2,500 components per hour. Bloom, Barry, Datamedia Corp., Pennsauken, N.J. SMT, September 1990, pg. 32.

TAB Technology's Emerging Debate. Hot-bar vs. YAG laser bonding of TAB devices. Newbury, Phil, Manager of New Product Development, Panasonic Factory Automation, Franklin Park, Ill. CM, October 1990, pg. 33.

Reaching for Fine Pitch. Two-dimensional linear motor technology to move multiple robotic heads is overhauled to drive today's demanding device placement applications. Hoffman, Brian D., President, Megamation, Inc., Princeton, N.J. CM, October 1990, pg. 55.

Innovative Problem Solving. This contract manufacturer has

made big changes in its large-board placement procedures. Merrithew, Larry, Technical Services Manager, IEC Electronics, Newark, N.Y. CM, October 1990, pg. 58.

Printed Circuit Production Equipment, Accessories

Soldering Irons for Production. Soldering irons today are built to handle the high thermal loads of multilayers, tight geometries in fine pitch SMT, and heavy demands of Mil-Std-2000. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, January 1990, pg. 44.

Non-CFC Cleaning and Cleanliness Testing for Printed Circuit Assemblies. Focus on non-CFC cleaning alternatives. Wun, Kai-Lam W.; Baker, Jim, Hewlett Packard Co., Surface Mount Development Center, Palo Alto, Calif. SMT, January 1990, pg. 49.

The Quiet, Innovative Evolution of Through-Hole Assembly Technology. While SMT gets the limelight, the need for quality and reliability is driving exciting developments in through-hole component insertion technology. Stanton, Ken, Universal Instruments Corp., Binghamton, N.Y. EP&P, February 1990, pg. 102.

Assembling Fine Pitch Devices on Fine Line PCBs Poses New Challenges. When placing fine pitch components on fine line PCBs, the choice of components, the geometry of land patterns and processing options all must be considered at the physical design stage. Solberg, Vern, SCI Manufacturing, San Jose, Calif. EP&P, February 1990, pg. 125.

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

Solutions for Dispensing Fluids on Warped PCBs. Warped PCBs present a problem for proper fluid dispensing. Babiarz, Alec J., Asymtek, Carlsbad, Calif. SMT, February 1990, pg. 35.

Techniques of Automatic Wire and Cable Termination. Integrating advances in machine design, electronic controls, pneumatics and computerization, wire processing systems automatically measure, cut, strip and terminate conductors at both ends. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 64.

Fine Pitch Assembly Techniques. The various aspects of FPT and the tradeoffs between manufacturing must be understood before the technology can be implemented. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, March 1990, pg. 18.

Wirebonding with CO 2 Lasers. Laser wirebonding allows for millisecond pulse durations and accurate positioning of wires to bond pads. Hernandez, Saul, Amdahl Corp., Sunnyvale, Calif. SMT, March 1990, pg. 24.

SMT Applications: Vacuum Fluorescent Display Manufacturer Improves Surface Mount Production With New Vision Equipment. A vacuum fluorescent display manufacturer describes its conversion to SMT. SMT, March 1990, pg. 47.

SMT Applications: Conveyor Systems Boosts Assembly Line Productivity, Automation. Production at a board manufacturer is enhanced with new conveyor systems. SMT, March 1990, pg. 51.

Case History: From Spec to Beta Site in Three Months - Mercury Computer Systems Shaves Time-to-Market of High-Density Boards. Dozier, Paul; Yacovitch, Bill, Mercury Computer Systems, Inc., Lowell, Mass. SMT, April 1990, pg. 22.

The Effect of Temperature of Surface Mount Adhesive Application, Equipment and Performance. The temperature of an adhesive affects its performance. DeBarros, Tony, Emerson & Cuming, Inc. (a Grace Co.) Woburn, Mass. SMT, April 1990, pg. 27.

Robots on the Assembly Line. Having evolved into highly sophisticated PCB assembly systems, robots cost-effectively compete with dedicated machines under special circumstances unique to individual operations. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 64.

Special Materials Help Manufacturers Tackle ESD. A variety of materials can help control electrostatic discharge. These guidelines help to select what's available. Watson, Don; Kolyer, Dr. John, Rockwell International, Autonetics Div., Anaheim, Calif. EP&P, May 1990, pg. 72.

Tackling Process Control from the Beginning Aids SMT Production. Surface mount production demands quality, reliability and flexibility. Hodson, Tim, Electronic Packaging & Production, EP&P, May 1990, pg. 91.

Advances in Fine Pitch SMT Screen Printing Equipment. Automated in-line screen print systems are becoming more popular and affordable. Freeman, Gary, MPM Corp., Franklin, Mass. SMT, May 1990, pg. 16.

Fine Chips: The Ultraminiature Surface Mount Solution. Flip chip ICs improve reliability and reduce manufacturing cost. Gibson, Barbara, Cherry Semiconductor Corp., East Greenwich, R.I. SMT, May 1990, pg. 23.

SMT Applications: Scooper Squeegee Helps Improve Print Yields. A "scooper squeegee" can eliminate some screen printing problems. Erdmann, Gunter, HTI Engineering Inc., Medfield, Mass. SMT, May 1990, pg. 48.

Monitoring ESD in the Production Workplace. Prevention and monitoring of electrostatic charges in the work area helps assure a hazard-free environment for sensitive electronic components. Bhar, Tarak Nath, University of the District of Columbia, Washington, D.C. EP&P, June 1990, pg. 74.

Improving Aqueous Cleaning Power. Emphasis on mechanical force results in the design of an aqueous process that performs better than solvent cleaners. Lowell, Charles R.; Sterritt, Janet R., Automation Inc., Nashua, N.H. SMT, June 1990, pg. 26.

Component Feeders for SMT Board Assembly. When automating SMT assembly, feeder selection should be a major consideration. Peterson, James R., Component Express Corp., Richardson, Texas. SMT, June 1990, pg 31.

PCBs for Fine Pitch TAB Attachment. TAB materials and processes can be more cost-effective than through-hole or surface mount. Kalliat, M.P.; Harris, J.E.; Vessels, J.L., AT&T Microelectronics, Richmond, Va. SMT, June 1990, pg. 41.

The Surface Mount Component Placement Process. On a day-to-day basis, the placement tends to require the production operator's attention more than any other process in the assembly line. Alexander, Todd P., Phoenix Technologies, Inc., Valley Forge, Pa. SMT, June 1990, pg. 45.

Defects in Wave Soldered Through-Hole Connections. A sampling of the thinking of industry experts is presented here to help you

better understand your wave solder defects. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 52.

Key Issues in Surface Mount Assembly. There is likely an optimum mix of components for any SMT design that allows production to achieve the best throughput and quality. Unfortunately, part costs and availabilities are subject to change, and SMT design and manufacturing must respond with careful compromises. Kuhn, Kurt, Altron, Inc., Anoka, Minn. SMT, July 1990, pg. 13.

Temperature Profiles: The Key to Surface Mount Assembly Process Control. SMT process control requires changes in manufacturing procedures. Maxwell, John, AVX Corp., Colorado Springs, Colo. SMT, July 1990, pg. 22.

Solder Paste Dispensing Test - Part III. Solder paste dispense is discussed. Babiarz, Alec J., Asymtek, Carlsbad, Calif. SMT, July 1990, pg. 42.

Methods of Dispensing and Curing Surface Mounting Adhesives. Screen printing, syringes, and pin transfer are the three principal methods for dispensing SMD adhesives. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, August 1990, pg. 33.

Bonding Fine-Pitch TAB Components. Automatic equipment for component and board handling not only increases throughput but reduces lead damage. Mah, Ho K., National Semiconductor Corp., Santa Clara, Calif. CM, August 1990, pg. 40.

Process Control for IR Reflow Soldering. An IR oven manufacturer's design and use of a process control system is described. Zarrow, Phil, Vitronics Corp., Newmarket N.H. SMT, August 1990, pg. 50.

Advances in Automated Dispensing Equipment. Smaller dots create larger problems in dispensing adhesives, conductive epoxies and solder paste. Engel, Jack, President, Creative Automation Co., Sun Valley, Calif. CM, August 1990, pg. 51.

TAB Excels in Fine-Pitch Applications. The interconnection needs of the high-end device market for ECL, ASICs and gate arrays is being satisfied by tape automated bonding. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, September 1990, pg. 32.

Laser Ultrasonic Tape Automated Bonding. Laser ultrasonic tape automated bonding is gaining acceptance in the SMT field. Hammond, Roy, Hughes Aircraft, Carlsbad, Calif. SMT, September 1990, pg. 25.

A Case History of SMT at Datamedia Corporation. Company established an automated SMT placing 2,500 components per hour. Bloom, Barry, Datamedia Corp., Pennsauken, N.J. SMT, September 1990, pg. 32.

High-Performance Resins. New multi-functional epoxy, new polyimide, laminating resin systems for PCBs. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, September 1990, pg. 36.

Flow-Line Manufacturing. Concepts and case studies of the application of flow-line manufacturing to meet a variety of electronics manufacturing needs. Korf, Jaap, Business Unit Manager, Philips Industrial Automation Div. CM, September 1990, pg. 76.

Multiwire Today. This technology is entering the 1990s with a multitude of diverse applications. Kunkie, Robert E., President, I-Con Industries, Inc., Euless, Texas. PCF, September 1990, pg. 94.

Fine Pitch Soldering Options. Techniques for soldering fine pitch devices are discussed. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 41.

Successful PCB Water Cleaning Systems. Cleaning PCBs safely is an extremely important assembly issue. Aqueous cleaning systems are aiding assemblers with this critical issue. Andrus, James J., Hollis Automation, Inc., Nashua, N.H. EP&P, October 1990, pg. 64.

Flexible Rework and Repair System Helps Keep Contract Manufacturer Competitive. A component placement system handles large component range without a large capital expenditure. Hodson, Tim, Electronic Packaging & Production, EP&P, October 1990, pg. 89.

A No-Clean-Flux Review. This article addresses the no-clean option for situations where cleaning is necessary, and where CFC solvent usage must be reduced or eliminated. Rubin, Dr. Wallace; Warwick, Dr. Malcolm, Multicore Solders Ltd., Westbury, N.Y. SMT, October 1990, pg. 42.

Eliminating ESD in the Workstation. Delicate electronic circuitry offers new challenges in controlling ESD at the workstation. Carlton, David, Kewaunee Scientific Corp., Lockhart, Texas. EP&P, November 1990, pg. 78.

Versatile Tool Aids Unisys' Development Projects. A form and trim tool assist low volume mixed technology board production. Hodson, Tim, Electronic Packaging & Production, EP&P, November 1990, pg. 87.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering is dependent upon the performance of the solder paste during printing, assembly and reflow. Socolowski, Norbert, Alpha Metals, Inc., Jersey City, N.J. EP&P, November 1990 supplement, pg. 8.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Coleman, William E.; and Bois, Philip, Photo Stencil Inc., Colorado Springs, Colo.; Digital Equipment Corp., Enfield, Mass. EP&P, November supplement, pg. 14.

Solder Paste Dispensing Materials and Requirements. The flexibility and accuracy of solder paste dispensing offer significant benefits to surface mount assembly. Lee, Jr., John, Creative Automation Co., Sun Valley, Calif. EP&P, November supplement, pg. 22.

Adhesives for Component Bonding. Reliable bonding of surface mount devices to the substrate poses a severe challenge. Loctite Corp., Newington, Conn. EP&P, November supplement, pg. 24.

Optimizing IR Reflow. The success of infrared reflow soldering requires proper attention to process parameters and material properties. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. EP&P, November 1990 supplement, pg. 32.

Reflow Soldering with Reactive Gasses. Soldering in a controlled atmosphere produces the least amount of residues, and thus the cleanest boards. Nayer, H.S.; and Adams, S.M., Airco Gases, a member of the BOC Group, Murray Hill, N.J. EP&P, November 1990 supplement, pg. 39.

Making Solder Joints by Laser. Solder joints using laser, when simultaneously monitored for acceptability, are efficient and ef-

fective. Rieley, Dick, Vanzetti Systems, Stoughton, Mass. EP&P, November 1990 supplement, pg. 48.

Solders, Fluxes

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

Obtaining and Preserving Solderability of PC Boards. Key solderability issues include finishes, protective coatings, board storage, restoring solderability and inspection. Manko, Howard H., Manko Associates, Teaneck, N.J. EP&P, February 1990, pg. 78.

Fine Pitch Assembly Techniques. The various aspects of FPT and the tradeoffs between manufacturing must be understood before the technology can be implemented. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, March 1990, pg. 18.

Selecting the Right Solder Paste. Five tests used to select solder paste for fine pitch. Morris, Jr., Hollis L., National Semiconductor Corp., Santa Clara, Calif. CM, March 1990, pg. 90.

Quality of Solder Paste. Solder paste deserves the same attention as vendor qualification. Parekh, Chandrika, Microservices International Inc., Austin, Texas. SMT, April 1990, pg. 40.

Solder Creams for Fine Pitch SMDs. The exacting requirements of fine pitch solder cream are discussed. Chilton, Dr. Colin; Gaugler, Kevin, ESP Solder Plus (Div. of EFD, Inc.) Lincoln, R.I., Bedford, England. SMT, April 1990, pg. 47.

The Reality of No-Clean Fluxes. Know the tradeoffs involved in using a no-clean flux. Liyanage, Nimal, Alpha Metals Inc., Jersey City, N.J. CM, April 1990, pg. 58.

Cover Gas Soldering Leaves Nothing to Clean Off PCB Assembly. Suppliers and users are working diligently to solve the problem of residual flux removal from soldered boards. The solution may be no-flux soldering. Fodor, Peter; Lensch, Peter J., OCS-SMT Automation Inc., Montreal, Canada. EP&P, April 1990, pg. 64.

Soldering Without Cleaning. Inert gas method eliminates flux residue. Trovato, Roger, Dover Soltec, Manchester, N.H. CM, April 1990, pg. 66.

New Solder Pastes Offer CFC Alternatives. Paste materials are catching up with the CFC issue. Forkner, Leslie, Contributing Writer. Circuits Manufacturing, CM, June 1990, pg. 22.

The Makeup of a Surface-Mount Solder Joint. Failure modes and mechanisms. Devore, John A., General Electric Co., Syracuse, N.Y. CM, June 1990, pg. 42.

New Developments in Fluxing and Fluxes. Solder fluxes must provide good solderability and reliable solder joints. But today, they must also address the environmental issues concerning CFCs and the technology challenges of fine pitch devices. Hwang, Dr. Jennie S., International Electronic Materials Corp, Cleveland, Ohio. EP&P, June 1990, pg. 90.

No-Clean Fluxes Are a Viable Alternative to CFC Cleaning. No-clean fluxes may be the alternative for PCB manufacturers in the 90s. For those manufacturers, work must begin now. Kocka, David C., M.E. Lorain Products-Reliance Comm/TEC, Lorain, Ohio. EP&P, June 1990, pg. 95.

High Yield Manufacturing for SMT. All of the problems commonly identified with SMT will come home to roost if a company's manufacturing strategy is not properly phased into the SMT process. Kratz, John, NTCM, Northampton Community College, Bethelehem, Pa. SMT, July 1990, pg. 34.

SMT/FPT Soldering Problems and Solutions. There is a specific cause and effect for every solder problem. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, July 1990, pg. 37.

No-Clean Solder Pastes: A Viable Alternative? Views from four companies considering no-clean solder pastes. Bercovitz, Janet; Fox, Sandra, Technology Forecaster, Berkeley, Calif. CM, July 1990, pg. 39.

Solder Paste Dispensing Test - Part III. Solder paste dispense is discussed. Babiarz, Alec J., Asymtek, Carlsbad, Calif. SMT, July 1990, pg. 42.

Defects in Wave Soldered Through-Hole Connections. A sampling of the thinking of industry experts is presented here to help you better understand your wave solder defects. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 52.

A Repair Method for Solder Reflow TAB OLB. The implementation of TAB requires high yields and the capability to replace defective devices. Bertram, Michael J., Microelectronics and Computer Technology Corp. (MCC), Austin, Texas. SMT, August 1990, pg. 63.

No-Clean Soldering and Solder Paste. Four alternatives to using CFCs to clean electronic assemblies. Hwang, Jennie S., President, Internationl Electronic Materials Corp., Cleveland, Ohio, CM, September 1990, pg. 41.

The Old and the New: Screen Printing and SMT. Automation strives to take most of touch and feel out of the screen printing. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, September 1990, pg. 64.

Selecting the Proper Dispensing Tip. Criteria for fluid dispensing equipment is presented. Engel, Jack, Creative Automation Co., Sun Valley, Calif. SMT, October 1990, pg. 35.

A No-Clean-Flux Review. This article addresses the no-clean option for situations where cleaning is necessary, and where CFC solvent usage must be reduced or eliminated. Rubin, Dr. Wallace; Warwick, Dr. Malcolm, Multicore Solders Ltd., Westbury, N.Y. SMT, October 1990, pg. 42.

Nitrogen-Based Fluxless Soldering. Nitrogen-based fluxless soldering is a key development aiding electronics manufacturers. Nowotarski, Mark; Konsowski, Stephen G., Union Carbide Industrial Gases Inc., Linde Div.,Tarrytown, N.Y., Westinghouse Electronic Systems Group, Baltimore, Md. SMT, October 1990, pg. 50.

Solder Paste Requirements for Fine-Pitch Technology. Process optimization can be achieved only when certain criteria are met. Langan, James P., Enthone-OMI, West Haven, Conn. CM, October 1990, pg. 51.

A New Technique for Monitoring Solder Paste Characteristics for Statistical Process Control. SPC is used to monitor solder paste characteristics during assembly. Polcznski, Dr. Mark; Seitz, Martin; and Hirthe, Richard, Thor Technology Corp., Milwaukee, Wis.; Marquette University, Milwaukee, Wis. SMT, October 1990, pg. 54.

Fine Pitch Soldering Defects. Samsami, Darius, Electronic Packaging & Production, EP&P, November 1990, pg. 35.

Designed-In Reliability. An SMT panel of distinguished working engineers discuss the nature of a reliable solder joint, its metallurgy, how it may be tested and the role of inspection. Stout, Gail, Associate Publisher, Surface Mount Technology, SMT, November 1990, pg. 38.

A Study of PCB/LCC Thermal Compatibility. A series of controlled experiments leads to a better understanding of the criteria for processing the best possible solder joints for each of five substrates. Caswell, Gregory K., Galaxy Microsystems, Inc. SMT, November 1990, pg. 54.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering is dependent upon the performance of the solder paste during printing, assembly and reflow. Socolowski, Norbert, Alpha Metals, Inc., Jersey City, N.J. EP&P, November 1990 supplement, pg. 8.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Coleman, William E.; and Bois, Philip, Photo Stencil Inc., Colorado Springs, Colo., Digital Equipment Corp., Enfield, Mass. EP&P, November 1990 supplement, pg. 14.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Nieves, Russell J., Synthetic Vision Systems, Ann Arbor, Mich. EP&P, November 1990 supplement, pg. 14.

Solder Paste Dispensing Materials and Requirements. The flexibility and accuracy of solder paste dispensing offer benefits to surface mount assembly. Lee, Jr., John, Creative Automation Co., Sun Valley, Calif. EP&P, November 1990 supplement, pg. 22.

Selecting Solder Masks for SMT. To meet the requirements of fine-pitch SMT, photoimageable solder masks are available in varied types. McKeever, Timothy D. DuPont Co., Research Triangle Park, N.C. EP&P, November 1990 supplement, pg. 26.

Wave Soldering Mixed Technology Boards. Mixed technology boards with leaded through-hole and surface mount devices present the greatest challenge for wave soldering. Botham, Robert M.; Lowell, Charles R.; and Sterritt, Janet R., Hollis Automation, Nashua, N.H. EP&P, November 1990 supplement, pg. 28.

Optimizing IR Reflow. The success of infrared reflow soldering requires proper attention to process parameters and material properties. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. EP&P, November 1990 supplement, pg. 32.

Reflow Soldering with Reactive Gasses. Soldering in a controlled atmosphere produces the least amount of residues, and thus the cleanest boards. Nayer, H.S.; and Adams, S.M., Airco Gases, a member of the BOC Group, Murray Hill, N.J. EP&P, November 1990 supplement, pg. 39.

Optimizing Vapor Phase Reflow Soldering. The success of vapor phase reflow soldering for surface mount assemblies is dependent upon the effectiveness of prior operations in the fabrication process. Linman, Dale L., Centech Corp., Minneapolis, Minn. EP&P, November 1990 supplement, pg. 43.

Making Solder Joints by Laser. Solder joints using laser, when simultaneously monitored for acceptability, are efficient and effective. Rieley, Dick, Vanzetti Systems, Stoughton, Mass. EP&P, November 1990 supplement, pg. 48.

The Future of SMT Soldering. The Goals of SMT soldering will be to maintain SMT solder joint integrity while improving the soldering process, equipment and ambient environment. Hwang, Jeannie S., International Electronic Materials Corp, Cleveland, Ohio. EP&P, November 1990 supplement, pg. 63.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering depends on solder paste performance during printing, assembly and reflow. Burkhart, Art, Dexter Electronic Materials Div., Industry, Calif. EP&P, November 1990 supplement, pg. 9.

Automatic Soldering Systems

Obtaining and Preserving Solderability of PC Boards. Key solderability issues include finishes, protective coatings, board storage, restoring solderability and inspection. Manko, Howard H., Manko Associates, Teaneck, N.J. EP&P, February 1990, pg. 78.

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

IR Reflow Soldering Systems and Steps. A look at the different systems and processes. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. CM, February 1990, pg. 26.

No-Clean, No-Residue Soldering Process. Special atmosphere acts as flux in reflow soldering process. Marczi, M.; Bandyopadhay, N.; and Adams, S., BOC Group Technical Center, CM, February 1990, pg. 42.

Fine Pitch Assembly Techniques. The various aspects of FPT and the tradeoffs between manufacturing must be understood before the technology can be implemented. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, March 1990, pg. 18.

Cover Gas Soldering Leaves Nothing to Clean Off PCB Assembly. Suppliers and users are working diligently to solve the problem of residual flux removal from soldered boards. The solution may be no-flux soldering. Fodor, Peter; Lensch, Peter J., OCS-SMT Automation Inc., Montreal, Canada, EP&P, April 1990, pg. 64.

Applying Factorial Design to Improve the Wave Solder Process for Tinning LCCCs. Factorial design can be used to examine the parameters of manufacturing to maximize efficiency. Khan, M. Riaz; Rega, Peter, University of Lowell, Lowell, Mass., and Raytheon Co., Lowell, Mass. SMT, April 1990, pg. 31.

No-Clean Reflow. Interrelated aspects of solder cream, reflow ovens and oven atmosphere eliminates cleaning. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, April 1990, pg. 68.

Convection Full Force. Testing with and without forced convection heating. Dow, Stephen J., Reflow Systems Product Manager, Conceptronic, Inc., Exeter, N.H. CM, May 1990, pg. 54.

Soldering with Controlled Atmospheres. Control during heating is vital for producing quality connections. Hwang, Jennie, President, International Electronic Materials Corp., Cleveland, Ohio. CM, May 1990, pg. 64.

No-Clean Fluxes Are a Viable Alternative to CFC Cleaning. No-clean fluxes may be the alternative for PCB manufacturers in the 90s. For those manufacturers, work must begin now. Kocka, David

C., M.E. Lorain Products-Reliance Comm/TEC, Lorain, Ohio. EP&P, June 1990, pg. 95.

In-Line Vapor Phase: Past and Present Status. The history and present state of vapor phase reflow soldering is examined. Hickling, Gordon, Electraflo Technology Corp., San Clemente, Calif. SMT, June 1990, pg. 38.

Defects in Wave Soldered Through-Hole Connections. A sampling of the thinking of industry experts is presented here to help you better understand your wave solder defects. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 52.

Temperature Profiles: The Key to Surface Mount Assembly Process Control. SMT process control requires changes in manufacturing procedures. Maxwell, John, AVX Corp., Colorado Springs, Colo. SMT, July 1990, pg. 22.

High Yield Manufacturing for SMT. All of the problems commonly identified with SMT will come home to roost if a company's manufacturing strategy is not properly phased into the SMT process. Kratz, John, NTCM, Northampton Community College, Bethelehem, Pa. SMT, July 1990, pg. 34.

SMT/FPT Soldering Problems and Solutions. There is a specific cause and effect for every solder problem. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, July 1990, pg. 37.

New Waves in Wave Soldering. Report on new machines, new no-clean moves. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, July 1990, pg. 42.

Process Control for IR Reflow Soldering. An IR oven manufacturer's design and use of a process control system is described. Zarrow, Phil, Vitronics Corp., Newmarket N.H. SMT, August 1990, pg. 50.

Achieving Perfect SMT Component Location After Reflow. Solutions to component alignment after reflow soldering. Graham, Glenn A., Gartner Group Inc., Stamford, Conn. SMT, September 1990, pg. 51.

Process Benefits of Edge Conveying with Product Support During Reflow. A product support apparatus helps eliminate board sagging on edge conveyors during reflow soldering. Hill, Barrie; Hasko, Tim, ETS Energy Technology Systems, Inc., Plymouth, Minn. SMT, September 1990, pg. 61.

Forced Convection: A User's View. Why this process for mass reflow of SMT assemblies is favored. Kasturi, Sangita, Digital Equipment Corp., Augusta, Me. CM, September 1990, pg. 68.

Fine Pitch Soldering Options. Techniques for soldering fine pitch devices are discussed. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 41.

Selecting the Proper Dispensing Tip. Criteria for fluid dispensing equipment is presented. Engel, Jack, Creative Automation Co., Sun Valley, Calif. SMT, October 1990, pg. 35.

Revisiting Vapor Phase. Vapor phase reflow has evolved to the point that it can produce defect-free soldering regardless of the advances in surface-mount technology. Paavola, Bob, President, Centech Corp., Minneapolis, Minn. CM, October 1990, pg. 42.

Why Reflow? To overcome the problems of bridging and thermal shock, a whole new wave soldering process was developed. Lowell, Charles, Principal Research Scientist; Sterritt, Janet, Research and Development Manager, Hollis Automation, Nashua, N.H. CM, October 1990, pg. 46.

Nitrogen-Based Fluxless Soldering. Nitrogen-based fluxless soldering is a key development aiding electronics manufacturers. Nowotarski, Mark; Konsowski, Stephen G., Union Carbide Industrial Gases Inc., Linde Div., Tarrytown, N.Y., Westinghouse Electronic Systems Group, Baltimore, Md. SMT, October 1990, pg. 50.

Fine Pitch Soldering Defects. Samsami, Darius, Electronic Packaging & Production, EP&P, November 1990, pg. 35.

Wave Soldering Mixed Technology Boards. Mixed technology boards with leaded through-hole and surface mount devices present the greatest challenge for wave soldering. Botham, Robert M.; Lowell, Charles R.; and Sterritt, Janet R., Hollis Automation, Nashua, N.H. EP&P, November 1990 supplement, pg. 28.

Optimizing IR Reflow. The success of infrared reflow soldering requires proper attention to process parameters and material properties. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. EP&P, November 1990 supplement, pg. 32.

Reflow Soldering with Reactive Gasses. Soldering in a controlled atmosphere produces the least amount of residues, and thus the cleanest boards. Nayer, H.S.; and Adams, S.M., Airco Gases, a member of the BOC Group, Murray Hill, N.J. EP&P, November 1990 supplement, pg. 39.

Optimizing Vapor Phase Reflow Soldering. The success of vapor phase reflow soldering for surface mount assemblies is dependent upon the effectiveness of prior operations in the fabrication process. Linman, Dale L., Centech Corp., Minneapolis, Minn. EP&P, November 1990 supplement, pg. 43.

Safe Repair of Surface Mount Assemblies. Operator training, selection of the proper tools and an understanding of the process are essential in the removal/replacement of SMDs. Abbagnaro, Lou, Pace Inc., Laurel, Md. EP&P, November 1990 supplement, pg. 54.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering is dependent upon the performance of the solder paste during printing, assembly and reflow. Burkhart, Art, Dexter Electronic Materials Div., Industry, Calif. EP&P, November 1990 supplement, pg. 9.

The Use of Collimated Infrared in Soldering SMT. The technique provides good thermal separation between intended heating and non-heating areas. Martel, Michael L.; and Helton, Dave, HTI Engineering, Inc. Medfield, Mass.; Conceptronic, Exeter, N.H., SMT, November 1990, pg. 60.

Manual Soldering Equipment

Soldering Irons for Production. Soldering irons today are built to handle the high thermal loads of multilayers, tight geometries in fine pitch SMT, and heavy demands of Mil-Std-2000. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, January 1990, pg. 44.

SMT Applications: Self Regulating Heater Technology Improves Solder Success. Solder system makes rework and repair more efficient. Metcal, Inc., Menlo Park, Calif. SMT, January 1990, pg. 57.

Soldering Down to a Science (Part I). A scientific method for developing a hand-soldering process. Fredrickson, Michael D.

Fine Pitch Soldering Defects. Samsami, Darius, Electronic Packaging & Production, EP&P, November 1990, pg. 35.

Designed-In Reliability. An SMT panel of distinguished working engineers discuss the nature of a reliable solder joint, its metallurgy, how it may be tested and the role of inspection. Stout, Gail, Associate Publisher, Surface Mount Technology, SMT, November 1990, pg. 38.

A Study of PCB/LCC Thermal Compatibility. A series of controlled experiments leads to a better understanding of the criteria for processing the best possible solder joints for each of five substrates. Caswell, Gregory K., Galaxy Microsystems, Inc. SMT, November 1990, pg. 54.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering is dependent upon the performance of the solder paste during printing, assembly and reflow. Socolowski, Norbert, Alpha Metals, Inc., Jersey City, N.J. EP&P, November 1990 supplement, pg. 8.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Coleman, William E.; and Bois, Philip, Photo Stencil Inc., Colorado Springs, Colo., Digital Equipment Corp., Enfield, Mass. EP&P, November 1990 supplement, pg. 14.

Precision Stencils Essential to Solder Paste Screening. Reliable solder paste application depends on the condition of the stencil and maintaining proper screening parameters. Nieves, Russell J., Synthetic Vision Systems, Ann Arbor, Mich. EP&P, November 1990 supplement, pg. 14.

Solder Paste Dispensing Materials and Requirements. The flexibility and accuracy of solder paste dispensing offer benefits to surface mount assembly. Lee, Jr., John, Creative Automation Co., Sun Valley, Calif. EP&P, November 1990 supplement, pg. 22.

Selecting Solder Masks for SMT. To meet the requirements of fine-pitch SMT, photoimageable solder masks are available in varied types. McKeever, Timothy D. DuPont Co., Research Triangle Park, N.C. EP&P, November 1990 supplement, pg. 26.

Wave Soldering Mixed Technology Boards. Mixed technology boards with leaded through-hole and surface mount devices present the greatest challenge for wave soldering. Botham, Robert M.; Lowell, Charles R.; and Sterritt, Janet R., Hollis Automation, Nashua, N.H. EP&P, November 1990 supplement, pg. 28.

Optimizing IR Reflow. The success of infrared reflow soldering requires proper attention to process parameters and material properties. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. EP&P, November 1990 supplement, pg. 32.

Reflow Soldering with Reactive Gasses. Soldering in a controlled atmosphere produces the least amount of residues, and thus the cleanest boards. Nayer, H.S.; and Adams, S.M., Airco Gases, a member of the BOC Group, Murray Hill, N.J. EP&P, November 1990 supplement, pg. 39.

Optimizing Vapor Phase Reflow Soldering. The success of vapor phase reflow soldering for surface mount assemblies is dependent upon the effectiveness of prior operations in the fabrication process. Linman, Dale L., Centech Corp., Minneapolis, Minn. EP&P, November 1990 supplement, pg. 43.

Making Solder Joints by Laser. Solder joints using laser, when simultaneously monitored for acceptability, are efficient and effective. Rieley, Dick, Vanzetti Systems, Stoughton, Mass. EP&P, November 1990 supplement, pg. 48.

The Future of SMT Soldering. The Goals of SMT soldering will be to maintain SMT solder joint integrity while improving the soldering process, equipment and ambient environment. Hwang, Jeannie S., International Electronic Materials Corp, Cleveland, Ohio. EP&P, November 1990 supplement, pg. 63.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering depends on solder paste performance during printing, assembly and reflow. Burkhart, Art, Dexter Electronic Materials Div., Industry, Calif. EP&P, November 1990 supplement, pg. 9.

Automatic Soldering Systems

Obtaining and Preserving Solderability of PC Boards. Key solderability issues include finishes, protective coatings, board storage, restoring solderability and inspection. Manko, Howard H., Manko Associates, Teaneck, N.J. EP&P, February 1990, pg. 78.

Unisys Systems Manufacturing Wins Electronics Factory Automation Honor. CIM efforts help printed circuit board assembly facility win award from EP&P and Electronic Business. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 161.

IR Reflow Soldering Systems and Steps. A look at the different systems and processes. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. CM, February 1990, pg. 26.

No-Clean, No-Residue Soldering Process. Special atmosphere acts as flux in reflow soldering process. Marczi, M.; Bandyopadhay, N.; and Adams, S., BOC Group Technical Center, CM, February 1990, pg. 42.

Fine Pitch Assembly Techniques. The various aspects of FPT and the tradeoffs between manufacturing must be understood before the technology can be implemented. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, March 1990, pg. 18.

Cover Gas Soldering Leaves Nothing to Clean Off PCB Assembly. Suppliers and users are working diligently to solve the problem of residual flux removal from soldered boards. The solution may be no-flux soldering. Fodor, Peter; Lensch, Peter J., OCS-SMT Automation Inc., Montreal, Canada, EP&P, April 1990, pg. 64.

Applying Factorial Design to Improve the Wave Solder Process for Tinning LCCCs. Factorial design can be used to examine the parameters of manufacturing to maximize efficiency. Khan, M. Riaz; Rega, Peter, University of Lowell, Lowell, Mass., and Raytheon Co., Lowell, Mass. SMT, April 1990, pg. 31.

No-Clean Reflow. Interrelated aspects of solder cream, reflow ovens and oven atmosphere eliminates cleaning. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, April 1990, pg. 68.

Convection Full Force. Testing with and without forced convection heating. Dow, Stephen J., Reflow Systems Product Manager, Conceptronic, Inc., Exeter, N.H. CM, May 1990, pg. 54.

Soldering with Controlled Atmospheres. Control during heating is vital for producing quality connections. Hwang, Jennie, President, International Electronic Materials Corp., Cleveland, Ohio. CM, May 1990, pg. 64.

No-Clean Fluxes Are a Viable Alternative to CFC Cleaning. No-clean fluxes may be the alternative for PCB manufacturers in the 90s. For those manufacturers, work must begin now. Kocka, David

C., M.E. Lorain Products-Reliance Comm/TEC, Lorain, Ohio. EP&P, June 1990, pg. 95.

In-Line Vapor Phase: Past and Present Status. The history and present state of vapor phase reflow soldering is examined. Hickling, Gordon, Electraflo Technology Corp., San Clemente, Calif. SMT, June 1990, pg. 38.

Defects in Wave Soldered Through-Hole Connections. A sampling of the thinking of industry experts is presented here to help you better understand your wave solder defects. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 52.

Temperature Profiles: The Key to Surface Mount Assembly Process Control. SMT process control requires changes in manufacturing procedures. Maxwell, John, AVX Corp., Colorado Springs, Colo. SMT, July 1990, pg. 22.

High Yield Manufacturing for SMT. All of the problems commonly identified with SMT will come home to roost if a company's manufacturing strategy is not properly phased into the SMT process. Kratz, John, NTCM, Northampton Community College, Bethelehem, Pa. SMT, July 1990, pg. 34.

SMT/FPT Soldering Problems and Solutions. There is a specific cause and effect for every solder problem. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, July 1990, pg. 37.

New Waves in Wave Soldering. Report on new machines, new no-clean moves. Murray, Jerry, West Coast Editor, Circuits Manufacturing, CM, July 1990, pg. 42.

Process Control for IR Reflow Soldering. An IR oven manufacturer's design and use of a process control system is described. Zarrow, Phil, Vitronics Corp., Newmarket N.H. SMT, August 1990, pg. 50.

Achieving Perfect SMT Component Location After Reflow. Solutions to component alignment after reflow soldering. Graham, Glenn A., Gartner Group Inc., Stamford, Conn. SMT, September 1990, pg. 51.

Process Benefits of Edge Conveying with Product Support During Reflow. A product support apparatus helps eliminate board sagging on edge conveyors during reflow soldering. Hill, Barrie; Hasko, Tim, ETS Energy Technology Systems, Inc., Plymouth, Minn. SMT, September 1990, pg. 61.

Forced Convection: A User's View. Why this process for mass reflow of SMT assemblies is favored. Kasturi, Sangita, Digital Equipment Corp., Augusta, Me. CM, September 1990, pg. 68.

Fine Pitch Soldering Options. Techniques for soldering fine pitch devices are discussed. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, October 1990, pg. 41.

Selecting the Proper Dispensing Tip. Criteria for fluid dispensing equipment is presented. Engel, Jack, Creative Automation Co., Sun Valley, Calif. SMT, October 1990, pg. 35.

Revisiting Vapor Phase. Vapor phase reflow has evolved to the point that it can produce defect-free soldering regardless of the advances in surface-mount technology. Paavola, Bob, President, Centech Corp., Minneapolis, Minn. CM, October 1990, pg. 42.

Why Reflow? To overcome the problems of bridging and thermal shock, a whole new wave soldering process was developed. Lowell, Charles, Principal Research Scientist; Sterritt, Janet, Research and Development Manager, Hollis Automation, Nashua, N.H. CM, October 1990, pg. 46.

Nitrogen-Based Fluxless Soldering. Nitrogen-based fluxless soldering is a key development aiding electronics manufacturers. Nowotarski, Mark; Konsowski, Stephen G., Union Carbide Industrial Gases Inc., Linde Div., Tarrytown, N.Y., Westinghouse Electronic Systems Group, Baltimore, Md. SMT, October 1990, pg. 50.

Fine Pitch Soldering Defects. Samsami, Darius, Electronic Packaging & Production, EP&P, November 1990, pg. 35.

Wave Soldering Mixed Technology Boards. Mixed technology boards with leaded through-hole and surface mount devices present the greatest challenge for wave soldering. Botham, Robert M.; Lowell, Charles R.; and Sterritt, Janet R., Hollis Automation, Nashua, N.H. EP&P, November 1990 supplement, pg. 28.

Optimizing IR Reflow. The success of infrared reflow soldering requires proper attention to process parameters and material properties. Zarrow, Phil, Vitronics Corp., Newmarket, N.H. EP&P, November 1990 supplement, pg. 32.

Reflow Soldering with Reactive Gasses. Soldering in a controlled atmosphere produces the least amount of residues, and thus the cleanest boards. Nayer, H.S.; and Adams, S.M., Airco Gases, a member of the BOC Group, Murray Hill, N.J. EP&P, November 1990 supplement, pg. 39.

Optimizing Vapor Phase Reflow Soldering. The success of vapor phase reflow soldering for surface mount assemblies is dependent upon the effectiveness of prior operations in the fabrication process. Linman, Dale L., Centech Corp., Minneapolis, Minn. EP&P, November 1990 supplement, pg. 43.

Safe Repair of Surface Mount Assemblies. Operator training, selection of the proper tools and an understanding of the process are essential in the removal/replacement of SMDs. Abbagnaro, Lou, Pace Inc., Laurel, Md. EP&P, November 1990 supplement, pg. 54.

Solder Paste for Fine Pitch Components. Reliable SMT reflow soldering is dependent upon the performance of the solder paste during printing, assembly and reflow. Burkhart, Art, Dexter Electronic Materials Div., Industry, Calif. EP&P, November 1990 supplement, pg. 9.

The Use of Collimated Infrared in Soldering SMT. The technique provides good thermal separation between intended heating and non-heating areas. Martel, Michael L.; and Helton, Dave, HTI Engineering, Inc. Medfield, Mass.; Conceptronic, Exeter, N.H., SMT, November 1990, pg. 60.

Manual Soldering Equipment

Soldering Irons for Production. Soldering irons today are built to handle the high thermal loads of multilayers, tight geometries in fine pitch SMT, and heavy demands of Mil-Std-2000. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, January 1990, pg. 44.

SMT Applications: Self Regulating Heater Technology Improves Solder Success. Solder system makes rework and repair more efficient. Metcal, Inc., Menlo Park, Calif. SMT, January 1990, pg. 57.

Soldering Down to a Science (Part I). A scientific method for developing a hand-soldering process. Fredrickson, Michael D.

Electronics Manufacturing Productivity Facility, Ridgecrest, Calif. CM, January 1990, pg. 76.

Soldering System Increases Efficiency at Motorola. A self-regulating solder system helps sensor division improve productivity and turnaround. Hodson, Tim, Electronic Packaging & Production, EP&P, February 1990, pg. 146.

Obtaining and Preserving Solderability of PC Boards. Key solderability issues include finishes, protective coatings, board storage, restoring solderability and inspection. Manko, Howard H., Manko Associates, Teaneck, N.J. EP&P, February 1990, pg. 78.

An Overview of Mil-Std-2000. The influence and impact of DoD-2000 and Mil-Std-2000 are discussed. Miller, Daniel P., Managing Editor, Surface Mount Technology, SMT, February 1990, pg. 63.

Soldering Down to a Science. Finding a soldering iron's potential to cause electrical overstress. Frederickson, Michael D., Electronics Mfg. Productivity Facility, Ridgecrest, Calif. CM, February 1990, pg. 78.

No-Clean Fluxes Are a Viable Alternative to CFC Cleaning. No-clean fluxes may be the alternative for PCB manufacturers in the 90s. For those manufacturers, work must begin now. Kocka, David C., M.E. Lorain Products-Reliance Comm/TEC, Lorain, Ohio. EP&P, June 1990, pg. 95.

Fine Pitch Soldering Defects. Samsami, Darius, Electronic Packaging & Production, EP&P, November 1990, pg. 35.

Safe Repair of Surface Mount Assemblies. Operator training, proper tool selection and an understanding of the process are essential in the removal/replacement of SMDs. Abbagnaro, Lou, Pace Inc., Laurel, Md. EP&P, November 1990 supplement, pg. 54.

Assembled Board Inspection/ Text Instruments, Systems

Design for Testability for In-Circuit Test. In-circuit test must be evaluated against other test options to determine the most cost-effective strategy. Johnson, Ken, Testech, Ltd., Geneva, Ill. SMT, February 1990, pg. 23.

Impact of SMT of Board Test: A Systems Perspective. The impact of SMT on testing includes such considerations as design, procurement, assembly, and data collection. Rapier, Mark L., Texas Instruments Inc., Austin, Texas. SMT, February 1990, pg. 29.

Fine Pitch Assembly Techniques. The various aspects of FPT and the tradeoffs between manufacturing must be understood before the technology can be implemented. Hutchins, Charles L., Hutchins and Associates, Raleigh, N.C. SMT, March 1990, pg. 18.

Real-Time x-Ray Technology Takes on the Fine Pitch Challenge. Real-time x-ray systems can be used to verify populated surface mount boards. Groezinger, John; Nameth Richard, Nicolet Instrument Corp., Madison, Wisc. SMT, March 1990, pg. 32.

Shopping for Automated Solder Joint Inspection Systems. Before approaching vendors, carefully define your inspection needs in terms of your manufacturing profile, then ready a list of tough questions. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, March 1990, pg. 62.

Critical Connections. The implications of solder quality. Stroebel, Thomas W.; Green, Michael, IRT Corp., San Diego, Calif. CM, March 1990, pg. 80.

Inspect for Success. Using automatic inspection for process control. Rieley, Richard V., Vanzetti Systems, Stoughton, Mass. CM, March 1990, pg. 85.

The ESD Control Process is a Tool for Managing Quality. ESD Control Programs follow the Total Quality Management philosophy. Brown, Lonnie; Burns, Dan, Smith Brown & Associates, Glendale, Calif. EP&P, April 1990, pg. 50.

Fine-Pitch Fixturing. Alternatives for SMT and FPT test fixtures. Hroundas, George; Creeden, Joseph M., Consultant, Trace Instruments, Canoga Park, Calif. CM, April 1990, pg. 80.

Keeping an Eye on Inspection. A survey of microscopes. Kiernan, Terry, Assistant Editor, Circuits Manufacturing, CM, May 1990, pg. 42.

Tackling Process Control from the Beginning Aids SMT Production. Surface mount production demands quality, reliability and flexibility. Hodson, Tim, Electronic Packaging & Production, EP&P, May 1990, pg. 91.

Monitoring ESD in the Production Workplace. Prevention and monitoring of electrostatic charges in the work area helps assure a hazard-free environment for sensitive electronic components. Bhar, Tarak Nath, University of the District of Columbia, Washington, D.C., EP&P, June 1990, pg. 74.

Keys to the Coming TAB Technology Wave: Testability and Reliability. TAB offers performance and testing advantages. Scott, Richard B., 3M Microinterconnect Systems, Austin, Texas. SMT, June 1990, pg. 15.

SMT Solder Process Control. Survival of the fittest. Corey, Robert L., President, Four Pi Systems, Rancho Bernardo, Calif. CM, July 1990, pg. 19.

Achieving High Sigmas and High ROIs. Picking the right inspection technique at the best price. Brinton, James B., Contributing Editor, Circuits Manufacturing, CM, July 1990, pg. 24.

Defects in Wave Soldered Through-Hole Connections. A sampling of the thinking of industry experts is presented here to help you better understand your wave solder defects. Keeler, Robert, Senior Editor, Electronic Packaging & Production, EP&P, July 1990, pg. 52.

No-Clean Processes. An outline of testing procedures for through hole, surface mount and fine pitch. Brox, Murray; Szymanowski, Sr., Richard, Northern Telecom Inc. CM, September 1990, pg. 61.

Fine Pitch Soldering Defects. Samsami, Darius, Electronic Packaging & Production, EP&P, November 1990, pg. 35.

SMT Reliability for Space Flight Applications. SMT designs in spacecraft are faced with unique challenges. Obtaining benefits depends on tests to validate designs for the risks ahead. Evans, John W.; Chemkoff, Harry; Engelmaier, Werner, Unisys, Greenbelt, Md., Vail Research & Tech., Greenbelt, Md., Engelmaier Associates Inc., Mendham, N.J., SMT, November 1990, pg. 24.

Designed-In Reliability. An SMT panel of distinguished working engineers discuss the nature of a reliable solder joint, its metallurgy, how it may be tested and the role of inspection. Stout, Gail, Associate Publisher, Surface Mount Technology, SMT, November 1990, pg. 38.

Rework/Repair Equipment, Supplies

Essentials of Advanced Rework for Fine Pitch Devices and Multilayer Boards. Techniques for rework are examined. Martel, Michael L., Conceptronic Inc., Exeter N.H. SMT, January 1990, pg. 22.

Considerations in Surface Mount Rework/Repair Equipment. Engineers do not want to admit to rework, but it is part of the assembly process that must be dealt with. D'Andreti, Lino, Vitronics Corp. Newmarket, N.H. SMT, January 1990, pg. 41.

SMT Applications: Self Regulating Heater Technology Improves Solder Success. Solder system enhances rework and repair. Metcal, Inc., Menlo Park, Calif. SMT, January 1990, pg. 57.

Soldering System Increases Efficiency at Motorola. A self-regulating solder system helps sensor division improve productivity and turnaround. Hodson, Tim, Electronic Packaging & Production, EP&P, February 1990, pg. 146.

How to Replace Damaged Surface Mount Pads. Remove-and-replace systems use hot air, hot bars or IR to reflow solder to remove or replace components. Ferry, Jeff, Circuit Repair Corp., Rowley, Mass. SMT, February 1990, pg. 39.

Reworking Assembled Printed Circuit Boards. Faulty components are easily removed and replaced by today's rework tools. But care is required to avoid board damage. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 75.

Rework at its Worst: Fine-Pitch Devices and MLBs. Essentials for setting up a process for advanced rework. Martel, Michael L., Conceptronic Inc., Exeter, N.H. CM, April 1990, pg. 70.

Direct Power Rework. Self-regulating the desoldering process. James, Steve, Metcal Inc., Menlo Park, Calif. CM, May 1990, pg. 66.

SMT Rework Roundup. Equipment features and fine points to suit different component types, board sizes, and user needs. Kiernan, Terry, Assistant Editor, Circuits Manufacturing, CM, August 1990, pg. 25.

IR Focuses on Rework. If it's good enough for reflow, it's good enough for rework. Clerici, Thomas; Gigg, Roger; Miller, Gary F., Ismeca U.S.A., Carlsbad, Calif., Surrey, Redhill, England UK. CM, August 1990, pg. 46.

A Repair Method for Solder Reflow TAB OLB. Using TAB requires high yields and the capability to replace defective devices. Bertram, Michael J., Microelectronics and Computer Technology Corp. (MCC), Austin, Texas. SMT, August 1990, pg. 63.

A Case History of SMT at Datamedia Corporation. Company established an automated SMT placing 2,500 components per hour. Bloom, Barry, Datamedia Corp., Pennsauken, N.J. SMT, September 1990, pg. 32.

Flexible Rework and Repair System Helps Keep Contract Manufacturer Competitive. A component placement system handles large component range without a large cost. Hodson, Tim, Electronic Packaging & Production, EP&P, October 1990, pg. 89.

Safe Repair of Surface Mount Assemblies. Operator training, selection of the proper tools and an understanding of the process are essential in the removal/replacement of SMDs. Abbagnaro, Lou, Pace Inc., Laurel, Md. EP&P, November 1990 supplement, pg. 54.

Production Workstations, Accessories, Supplies

Options in Fine Pitch Rework. Fine-Pitch placement: A look of alternative placement. Heath, Brad A., American Microelectronics, Inc., Austin, Texas. CM, February 1990, pg. 48.

First Aid for Repetitive Motion Injuries. A Hewlett-Packard board shop pooled its resources to address injuries among assembly workers. Randolph, Travis M., Symbiote, Inc., Holland, Mich. EP&P, April 1990, pg. 70.

Special Materials Help Manufacturers Tackle ESD. A variety of materials can help control electrostatic discharge. These guidelines help to select what's available. Watson, Don; Kolyer, Dr. John, Rockwell International, Autonetics Div., Anaheim, Calif. EP&P, May 1990, pg. 72.

Monitoring ESD in the Production Workplace. Prevention and monitoring of electrostatic charges in the work area helps assure a hazard-free environment for sensitive electronic components. Bhar, Tarak Nath, University of the District of Columbia, Washington, D.C., EP&P, June 1990, pg. 74.

Eliminating ESD in the Workstation. Delicate electronic circuitry offers new challenges in controlling ESD at the workstation. Carlton, David, Kewaunee Scientific Corp., Lockhart, Texas, EP&P, November 1990, pg. 78.

Services: Fabrication, Assembly, Packaging, Testing

Long-Distance Phototooling. Service bureau sets up shop in Far East. Meyers, Robert L., Technical Director, Kingary, Ltd., Aberdeen, Hong Kong. PCF, January 1990, pg. 78.

Customer Partnerships: The Key to the PCB Manufacturer's Future. The manufacturer's involvement in the concept and design stages will be a crucial element of success. Ernst Uhlmann, Chairman of the Board, Fela Holding A.G., Thurndorf, Switzerland. PCF, January 1990, pg. 52.

Solder Masking at your Service. A look at who offers what in solder-mask services. Kiernan, Terry, Contributing Editor, Circuits Manufacturing, CM, February 1990, pg. 62.

In Search of the Ideal SMT Subcontractor. Selecting a contract manufacturer is discussed. Spilar, Larry, Keithley Instruments, Cleveland, Ohio. SMT, March 1990, pg. 37.

The Benefits of Added Value. Creating customer loyalty, determining customer needs, concern about customer requirements. Beaulieu, Dan, Director of Marketing and Sales, General Circuits, Rochester, N.Y. PCF, May 1990, pg. 113.

Automotive Package Size Driven by Market Demand. Automotive electronics producers are concerned with space conservation, manufacturability, and quality. These challenges are addressed by companies providing component design, packaging, manufacturing and testing services. Mellinger, Edward M.; Yuska, Paul, Automotive Div., Electronics Div., The Cherry Corp., Waukegan, Ill. EP&P, June 1990, pg. 56.

Communicating with your Customers - By Modem, Part II. Modem installation and bulletin boards. Walton, Russell W., owner, California Software Systems, PCF, September 1990, pg. 100.

Assembly Roundtable. Three contract assemblers share their views of the assembly market and the decade of challenge that faces our industry. Daniels, Ron, Editor, Circuits Manufacturing, CM, September 1990, pg. 90.

Controlling ESD with Partitions. A new type of packaging for high-volume manufacturing meets all ESD requirements at a low cost and is labor effective. Plaster, Jeffrey, Delco Electronics, Kokomo, Ind. EP&P, November 1990, pg. 84.

Large Board SMT Placement Solutions Using Contract Manufacturing. A viable alternative to in-house manufacturing is the contract manufacturer which offers innovative problem solving and flexible manufacturing solutions. Merrithew, Larry, IEC Electronics Corp. SMT, November 1990, pg. 46.

Miscellaneous

Electronics Industry Wages Grow in Late '80s. EP&P's 1989 salary survey reveals readers' goals and gripes, and where the big bucks are in the electronics industry. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 112.

The Evolution of the French PCB Industry. Part I: Present Situation and Outlook / Part II: Industrial and Technical Aspects. Pietri, Jean-Christophe, President; and Balmet, Rene, Marketing and Sales Director, Societe Generale des Circuits Imprimes; Nicolitch, Evry, France. PCF, February 1990, pg. 142.

Focus on Fabricators, Collins Printed Circuits Div. of Rockwell International Avionics Group., Collins Printed Circuits Div. of Rockwell International Avionics Group, Cedar Rapids, Iowa. PC Fab, February 1990, pg. 163.

Vendor Review I - C.A. Picard Inc., J&D Mechanical Co. Div. CA Picard, Inc./J&D Mechanical Co. Div., Irvine, Calif. PCF, February 1990, pg. 167.

Vendor Review II - CMI International. CMI International, Elk Grove Village, Ill. PCF, February 1990, pg. 171.

The Cost of SMT Assemblies. The cost of through-hole and SMT are compared and contrasted. Mangin, Charles-Henri, CEERIS International, Inc., Old Lyme, Conn. SMT, February 1990, pg. 43.

Vendor Review, Eastman Kodak Company. Kodak supplies materials that are integral to the printed wiring board industry. Eastman Kodak Company, Rochester, N.Y. PCF, March 1990, pg. 100.

Focus on Fabricators, General Circuits Inc. Engineering and manufacturing currently work hand-in-hand to meet even the most demanding delivery schedules. General Circuits Inc., Rochester, N.Y. PCF, March 1990, pg. 105.

In Search of the Ideal SMT Subcontractor. Selecting a contract manufacturer is discussed. Spilar, Larry, Keithley Instruments, Cleveland, Ohio. SMT, March 1990, pg. 37.

Rigid-Flex: Forming the Future. Yesterday's niche technology becomes tomorrow's industry cornerstone. Dynaco Corporation, Derry, N.H. PCF, March 1990, pg. 52.

Applying Factorial Design to Improve the Wave Solder Process for Tinning LCCCs. Factorial design can be used to examine the parameters of manufacturing to maximize efficiency. Khan, M. Riaz; Rega, Peter, University of Lowell, Lowell, Mass., and Raytheon Co., Lowell, Mass. SMT, April 1990, pg. 31.

The ESD Control Process is a Tool for Managing Quality. ESD Control Programs follow the Total Quality Management philosophy. Brown, Lonnie; Burns, Dan, Smith Brown & Associates, Glendale, Calif. EP&P, April 1990, pg. 50.

First Aid for Repetitive Motion Injuries. A Hewlett-Packard board shop addresses injuries among assembly workers. Randolph, Travis M., Symbiote, Inc., Holland, Mich. EP&P, April 1990, pg. 70.

Vendor Review, RBP Chemical Corporation., RBP Chemical Corp., Milwaukee, Wisc. PCF, May 1990, pg. 104.

SMT Forum: Military Surface Mount Applications. Industry representative discuss SMT in the military. SMT, May 1990, pg. 34.

Standards for Surface Mount Technology. One company's SMT guidelines are presented. Petersen, G.G., Weltek International Inc., South Bend, Ind. SMT, May 1990, pg. 42.

Standards Formation: JEDEC JC 11 Committee. JEDEC's mechanical standardization of solid state devices is discussed. Freedman, Martin G., AMP Inc., Harrisburg, Pa. SMT, May 1990, pg. 46.

Important Considerations for Implementing Statistical Process Control. SPC is not difficult to implement, but it requires dedication to the program and attention to the process. Alexander, P. Todd, Phoenix Technologies, Inc., Valley Forge, Pa. EP&P, June 1990, pg. 82.

Vendor Review - Optrotech Ltd., Optrotech Ltd, Nes Ziona, Israel, PCF, July 1990, pg. 87.

SMT in Electronics: A Market and Industry Overview for the 1990. The surface mount materials, component, and equipment markets are on the rise along with the technology's popularity. Castrovilla, Joseph A., Business Communications Co., Inc., Norwalk, Conn. SMT, August 1990, pg. 47.

Focus on Fabricators, Continental Circuits, Inc. Continental Circuits is a medium-to-high volume producer of PCBs. Continental Circuits, Inc., Orlando, Fla. PCF, August 1990, pg. 96.

Multichip Module Forum. Industry representatives discuss MCMs. Swichtenberg, Bill, Assistant Editor, Surface Mount Technology, SMT, August 1990, pg. 21.

Vendor Review, Chemcut Corp., Chemcut Corporation, State College, Pa., PCF, September 1990, pg. 124.

SPC Techniques to Improve Automated Screen Printing. Advances in screen printing have made it possible for the SPC staff to implement practical programs. Elias, Ira G., MPM Corp., Franklin, Mass. SMT, September 1990, pg. 20.

Multichip Module Forum (Part II). Industry representatives discuss MCMs. Swichtenberg, Bill, Assistant Editor, Surface Mount Technology, SMT, September 1990, pg. 44.

Material Planning Issues in Surface Mount Manufacturing. Material planning demands flexibility and quick reaction times. Thompson, Michael C., MGV Manufacturing, Inc., Madison, Ala. SMT, October 1990, pg. 40.

Statistical Process Control for SMT. SPC's benefits to SMT are examined. Hutchins, Charles L., C. Hutchins & Associates, Raleigh, N.C. SMT, October 1990, pg. 47.

A New Technique for Monitoring Solder Paste Characteristics for Statistical Process Control. SPC is used to monitor solder paste characteristics during assembly. Polcznski, Dr. Mark; Seitz, Martin; and Hirthe, Richard, Thor Technology Corp., Milwaukee, Wis., Marquette University, Milwaukee, Wis. SMT, October 1990, pg. 54.

Vendor Review, Gerber Scientific Instrument Co., Gerber Scientific Co. PCF, October 1990, pg. 86.

Trends in Statistical Process. SPC can play a vital role in the competitiveness of PCB fabricators and manufacturers. Babinec, Tony, SPSS Inc., Chicago, Ill. EP&P, November 1990, pg. 72.

Management

Customer Partnerships: The Key to the PCB Manufacturer's Future. The manufacturer's involvement in concept and design are crucial elements. Ernst Uhlmann, Chairman of the Board, Fela Holding A.G., Thurndorf, Switzerland. PCF, January 1990, pg. 52.

Packaging with TAB and Silicon Substrates. TI has been using TAB in various mounting configurations together with advanced substrate technology using silicon. Markstein, Howard W., Western Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 54.

Electronics Industry Wages Grow in Late '80s. EP&P's 1989 salary survey reveals readers' goals and gripes, and where the big bucks are in the electronics industry. Krukowski, John, Associate Editor, Electronic Packaging & Production, EP&P, February 1990, pg. 112.

Spill Response: Does OSHA 29 CFR 1910.120 Apply to You? Do you have personnel trained to respond to a hazardous release without compromising their own safety and health? Mabbett, Capaccio & Associates. PCF, February 1990, pg. 159.

The Cost of SMT Assemblies. The cost of through-hole and SMT are compared and contrasted. Mangin, Charles-Henri, CEERIS International, Inc., Old Lyme, Conn. SMT, February 1990, pg. 43.

The PWB Industry: Toward a More Balanced View. The printed wiring board merchant industry is highly insulated from swings of captive business. Miller, Harvey, Kirk-Miller Associates, Palo Alto, Calif. PCF, March 1990, pg. 102.

In Search of the Ideal SMT Subcontractor. Selecting a contract manufacturer is discussed. Spilar, Larry, Keithley Instruments, Cleveland, Ohio. SMT, March 1990, pg. 37.

Operator Certification. The manufacturing industry must avail itself of the most competent and highly trained personnel to handle the wastewater treatment compliance. Mabbett, Capaccio & Associates, Inc., Bedford, Mass. PCF, March 1990, pg. 97.

Design for Manufacturability Enhances Production, Saves DEC's Redesigned Round Mouse. Through redesign for manufacturability, the new mouse looked the same on the outside, but much improved under the skin. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, April 1990, pg. 47.

The ESD Control Process is a Tool for Managing Quality. ESD Control Programs follow the Total Quality Management philosophy. Brown, Lonnie; Burns, Dan, Smith Brown & Associates, Glendale, Calif. EP&P, April 1990, pg. 50.

First Aid for Repetitive Motion Injuries. A Hewlett-Packard board shop pooled its resources to address injuries among assembly workers. Randolph, Travis M., Symbiote, Inc., Holland, Mich. EP&P, April 1990, pg. 70.

DFM Marries Proven and New Concepts in Pressure Transducer. Exercising DFM with traditional engineering disciplines, a new pressure transducer was developed to meet the requirements of an automotive application. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, May 1990, pg. 45.

The Benefits of Added Value. Creating customer loyalty, determining customer needs, concern about customer requirements. Beaulieu, Dan, Director of Marketing and Sales, General Circuits, Rochester, N.Y. PCF, May 1990, pg. 113.

Environmental Invisibility. The CFC-elimination effort. Borneman, John, Delco Electronics, Kokomo, Ind. CM, May 1990, pg. 20.

CAM: A Management Perspective. CAM has progressed so rapidly that it is now a virtual necessity for the PCB fabricator and customer. Pucci, Donald, President, Interplex Corp., Manchester, N.H. CM, May 1990, pg. 26.

Standards for Surface Mount Technology. One company's SMT guidelines are presented. Petersen, G.G., Weltek International Inc., South Bend, Ind. SMT, May 1990, pg. 42.

Standards Formation: JEDEC JC 11 Committee. JEDEC's mechanical standardization of solid state devices is discussed. Freedman, Martin G., AMP Inc., Harrisburg, Pa. SMT, May 1990, pg. 46.

Title 29 CFR Part 1910.120(q) Training Categories. Mabbett, Capaccio & Associates, Inc. PCF, May 1990, pg. 90.

New Approaches to Process Engineering. Review of traditional approaches to process engineering and a new approach called robust process engineering. Wolfson, Richard R., President and Founder, Catalyst, Inc., Littleton, Mass. PCF, May 1990, pg. 93.

Important Considerations for Implementing Statistical Process Control. SPC is not difficult to implement, but it requires dedication and attention. Alexander, P. Todd, Phoenix Technologies, Inc., Valley Forge, Pa. EP&P, June 1990, pg. 82.

Environmental Compliance in Europe. Europe is a patchwork of varying environmental regulations, with one common thread: increasingly strict wastewater requirements. Beyer, Gustav H.; Lisber, Hans W.,; Director and General Manager; Doctor of Engineering, Hans Kolbe & Co., Gittelde, West Germany, Technical Unviersity of Berlin and the Technical College of Berlin, West Germany. PCF, June 1990, pg. 26.

Strategic Quality: A Recipe for New-Age Thinking. We are at war. Successful generals are adopting a broad-based strategic plan for long-term victory. Masciana, Gregory C., Vice President of Quality Assurance, Advanced Quick Circuits, Div. of Rossi Electronics, Melbourne, Fla. PCF, August 1990, pg. 18.

A Quality Survey to MIL-I-45208. If your shop is getting ready for a quality survey, or if a recent survey revealed deficiencies, this article may interest you. Brogado, Carl, PAB Process Engineer, Ball Communication Systems Division, Broomfield, Colo. PCF, August 1990, pg. 28.

SMT in Electronics: A Market and Industry Overview for the 1990. The surface mount materials, component, and equipment markets are on the rise along with the technology's popularity. Castrovilla, Joseph A., Business Communications Co., Inc., Norwalk, Conn. SMT, August 1990, pg. 47.

Managing Materials Manufacturing. Vendor sees partnerships as a source of quality. Text and photos provided by Du Pont Electronics, Wilmington, Del. PCF, August 1990, pg. 71.

Scheduling for Profit. In the equation for PCB manufacturing success, improved scheduling equals increased profitability. Roseborough, Gordon A., Vice President of Marketing and Sales, Cimnet Systems, Inc., Willowbrook. Ill. PCF, August 1990, pg. 73.

Has Your Facility Been Faced With Biological Toxicity Criteria Yet? Update on SARA Title III, Section 313, Toxic Chemical Release Inventory Form Reporting requirements. Mabbett, Capaccio & Associates, Inc. PCF, August 1990, pg. 98.

Multichip Module Forum. Industry representatives discuss MCMs. Swichtenberg, Bill, Assistant Editor, Surface Mount Technology, SMT, August 1990, pg. 21.

There's More to DFM than Technology. Design for manufacturability is about new technical concepts and production capabilities. Spitz, S. Leonard, Special Projects Editor, Electronic Packaging & Production, EP&P, September 1990, pg. 29.

Communicating with your Customers -By Modem, Part II. Modem installation and bulletin boards. Walton, Russell W., owner, California Software Systems, PCF, September 1990, pg. 100.

The Process of Quality Improvement. Focuses on elements of two key aspects of quality improvement: total quality control and employee involvement. Frank, Shari, Quality Improvement Coordinator, Multek, Irvine, Calif. PCF, September 1990, pg. 110.

The New Toxicity Characteristic Rules. The EPA Resource Conservation and Recovery Act and its effect on PCB fabricators. Mabbett, Capaccio & Associates, PCF, September 1990, pg. 114.

The U.S. PCB Market. Industry analyst speaks to current and future trends. Lapen, Phil, President, EMC, Redwood City, Calif. PCF, September 1990, pg. 26.

Cost: The Complexity Factor. Part II examines more factors affecting the price you pay for PCBs. Daniels, Ron, Editor, Printed Circuits Assembly, Alpharetta, Ga. PCF, September 1990, pg. 30.

SPC Made Easy. This company stopped "sorting good parts from bad" and implemented SPC into its quality program. Dibble, David, President, Dibble Electronics, Inc. San Diego, Calif. PCF, September 1990, pg. 40.

Multichip Module Forum (Part II). Industry representatives discuss MCMs. Swichtenberg, Bill, Assistant Editor, Surface Mount Technology, SMT, September 1990, pg. 44.

The Decomputerization of SPC. It's not the bells and whistles that make SPC a wonderful tool. Henderson, Doug, Quality Assurance Manager, Pacific Circuit, Inc., Redmond, Wash. PCF, September 1990, pg. 51.

Crisis Management: Fact or Fiction? Ballarini, John A., Independent Operations Management and Productivity/Training Consultant, Racine, Wisc. PCF, September 1990, pg. 54.

Assembly Roundtable. Three contract assemblers share their views of the assembly market. Daniels, Ron, Editor, Circuits Manufacturing, CM, September 1990, pg. 90.

Survey of Fine-Line Yields. Industry data on the imaging department. McCue, Daniel J., Executive Vice President, Positec Photosystems, Inc., Woodbury, Minn. PCF, September 1990, pg. 98.

Manufacturing Capacity Analysis. The manufacturing capability analysis problem, advocating the development and use of standard PCB configurations for capacity forecasting. Taylor, G. Don, Assistant Professor, Dept. Industrial Engineering, University of Arkansas, Fayetteville, Ark. Calif. CM, October 1990, pg. 21.

Material Planning Issues in Surface Mount Manufacturing. Material planning demands flexibility and quick reaction times. Thompson, Michael C., MGV Manufacturing, Inc. Madison, Ala. SMT, October 1990, pg. 40.

Statistical Process Control for SMT. SPC's benefits to SMT are examined. Hutchins, Charles L., C. Hutchins & Associates, Raleigh, N.C. SMT, October 1990, pg. 47.

Total Quality Programs for PCB Fabricators. How to be a winner in a race with no finish line. Van Landingham, Kim, Programs Specialist, Du Pont Electronics, Wilmington, Del. PCF, October 1990, pg. 68.

European PCB Industry Changes. A look at the European PCB industry of the 1980s, including the agents of change influencing that structure. Hammon, Michael H., Managing Director, MHM Marketing, Ayr, Scotland, UK. PCF, October 1990, pg. 96.

Trends in Statistical Process. SPC can play a vital role in the competitiveness of PCB fabricators and manufacturers. Babinec, Tony, SPSS Inc., Chicago, Ill. EP&P, November 1990, pg. 72.

Environmental Issues, Toxicological Risk Assessment and Environmental Releases. Managing storage, handling and disposal of chemicals, and advance planning for emergency spill response. Mabbett, Capaccio & Associates, Inc. PCF, November 1990, pg. 24.

The Effects of MCMs on the PWB Market. How future PCBs will reflect this new technology and when. George Messner, Senior Scientist, PCK Technology Division, Melville, N.Y. PCF, November 1990, pg. 40.

Industry Leader Interview: S. Michael Buscher, Philips Electronic Instruments Co. Gail Stout, Publisher, Surface Mount Technology, SMT, November 1990, pg. 42.

Large Board SMT Placement Solutions Using Contract Manufacturing. A viable alternative to in-house manufacturing is the contract manufacturer which offers innovative problem solving and flexible manufacturing solutions. Merrithew, Larry, IEC Electronics Corp. SMT, November 1990, pg. 46.

Crosstalk. Satisfaction in reliability, price, and delivery. Murray, Jerry, Printed Circuit Fabrication, PCF, November 1990, pg. 54.

Culture Shock. This PCB facility encountered some bumpy areas and pleasant surprises on the road to world-class status. Holland, Robert, Associate Public Relations specialist, AT&T, Richmond Works, Richmond, Va. PCF, November 1990, pg. 60.

Realistic Designs - Still a Problem. Some new approaches are suggested with an assessment of where the technology is going. Wesselmann, Carl, Editor, Surface Mount Technology, SMT, November 1990, pg. 65.

Interview with Larry Velie. The current IPC president takes a hard line on industry issues. Esposito, Donna J., Printed Circuit Fabrication, PCF, November 1990, pg. 74.

Toward Manufacturing Excellence. Improving the PCB manufacturer and process service partnership. Johnson, Michael, general manager, Mask Technology Inc., Santa Ana, Calif. PCF, November 1990, pg. 82.

The Multilayer PCB Industry in Japan. The multilayer PCB has grown rapidly in the 1980s and is now the key medium for surface mount. Aoki, Masamitsu, Senior Research and Development Specialist in high performance copper clad laminate, Toshiba Chemical Corp, Kawasaki, Japan, PCF, November 1990, pg. 84.